

THE AMERICAN FARMER

ESTABLISHED 1819

NINTH SERIES.

BALTIMORE, MD., MARCH 1, 1882.

Vol. I.—No. 5.

The Gunpowder Club

Held its February meeting on the 25th, at B. McL. Hardisty's, Jno. D. Matthews being foreman of the day. The usual tour of inspection was made of the fields, the barn and stables, greenhouses, etc., when the club repaired to the house, and after some routine business opened the half hour for questions. John Bond was asked how feeding cattle had paid this season. He replied it had paid pretty nearly as well as usual, since although corn was high beef had advanced accordingly. He gave a statement of his experience. He bought his cattle August 18th, and sold them January 1st. Their average weight when bought was 670 pounds; when sold, 845 pounds; gain, 175 pounds. They were pastured three months and fed six weeks in stable. The cost of feeding was as follows: Three months' pasturage at \$2, equal to \$6; two barrels of corn a head (average) at \$4, equal to \$8; 400 pounds of hay valued at \$4, making total \$18 per head. They were bought at 84 cents and sold at 5 cents, the gain per head being put about \$18. That is, he sold his products at home at the full market price and had all the manure made as clear gain. This result showed \$5 less gain per head than last year, but then the cattle were larger. Believes heavier cattle would have paid considerably more this year.

Who has any experience with dissolved South Carolina Rock for corn—how should it be applied and in what quantity?

A. C. Scott used half a ton on four acres—which was a repeat in corn—and got six barrels to the acre. Applied as the corn was coming up. Was pleased with result and will try it again. In Harford they sow on the sod in winter, sometimes as early as Christmas, and plow under in spring.

T. Gorsuch. Dickinson Gorsuch's idea is to sow it in with the wheat drill.

Col. Franklin asked for reports of experience in use of lion manure on corn.

E. Scott has used it on potatoes, mixed with three times its bulk of coal ashes, spread sometimes in row and sometimes broadcast.

Ed. H. Matthews has applied to corn in the hill with good results. Mixes with coal ashes and a little plaster, but care must be taken to scatter it well, otherwise it may injure the seed.

B. McL. Hardisty had used on corn. Thought it hurt the corn. Did not use ashes with it. Dampened it and allowed it to lie some days; a fermentation ensued and then it pulverized readily, when a little plaster was sprinkled over it.

Lewis Bacon. Is it more profitable to apply on corn than on wheat? He has been saving his for his wheat crop.

E. H. M. believes it is better for corn than anything else.

Jno. D. Matthews. With him, an application of chicken manure burned the corn up. It probably was not carefully enough dropped; it was scattered on the hills sometime after the corn was up. But on potatoes he had used it with greatest benefit. It was dropped in the row, and on part a chain

was dragged through to mix it with the earth; on the other it was left as dropped.

Col. Franklin. Who has used kainit? B. McL. Hardisty had with marked results. Could see evident increase in growth of grass from its use.

In selecting seed corn, should we take all the corn or lop off the butts and tips of the ears?

None seemed to have any actual experience with both plans, but Saml. M. Price was instanced as being noted for his fine, large, well-filled ears of corn, and he always discarded the tips of ears saved for seed; and Jno. Crowther, Jr., said the filling out depends very much on the season. When the ear outgrows the husk it is generally well filled.

Is it advisable to plant small potatoes?

John D. Matthews would not advise it. Has done it, and, as a rule, small potatoes produce small ones. Has tried them side by side.

B. McL. Hardisty, for two years has planted his smallest potatoes to themselves in the field, and got as good results from them both seasons as where pieces of large potatoes had been planted. Got 85 bushels from about half an acre, the land being a sod of eight years' standing, fall plowed. Prefers a light, sandy soil with considerable vegetable matter in it for potatoes.

Jno. D. Matthews. The best crops he ever raises are on clay soils.

This being one of the meetings set apart for reading, selections were read by Messrs. W. W. Matthews, Thomas Gorsuch and Jno. Crowther, Jr., the views advanced therein being discussed.

Jno. D. Matthews remarked that a good aftermath left on the ground was better than a coat of manure. The grass roots draw from the sources below the plant food, it is stored up in the plants and given back to the soil when they die.

Question. How about cutting grass and letting it lie.

Answer. Prefers to let it stand.

In purchasing land, the first consideration is to know what is its natural condition; the tendency of the soil being always to return to its normal state. If the land is fertile naturally, rest has a tendency to restore fertility.

E. Scott said the most astonishing instance he knew of the restoration of fertility was the case of Joseph Bosley's lands, which were brought up by one liming and one crop of clover from yielding two to three barrels to producing ten barrels of corn to the acre.

Jno. D. Matthews had a similar experience with his garden. It failed to yield its usual crops, but a small application of lime doubled and trebled them.

The question of the manner of application and the returns to be expected of commercial fertilizers coming up, Jno. D. Matthews said one condition of their successful use is to have the ground in perfect condition. If the land is rough and lumpy, good returns cannot be reasonably expected. The farmer should not stop short of securing the finest possible filth.

A desultory but interesting discussion on the use of lime ensued, touching the appropriate quantities to apply, the best methods, etc., and the advisability of using superphosphate soon or directly after a dressing of lime. One member said he had applied a well-known fertilizer to his wheat on land limed the preceding spring contrary to the usually received objection, and against the advice of the manufacturer, but the yield was remarkably good—indeed, where no fertilizer was applied the crop was a failure.

A resolution (given elsewhere) was adopted, protesting against the Legislature renewing the withdrawn appropriation to the Agricultural College.

Agriculture Abroad.

From our Correspondent in France.

THE RESULT OF THE YEAR.—Farmers have taken stock of 1881, and appear on the whole not to be dissatisfied with the result. The price of wheat, which may be taken as the standard of profits, has been more advantageous, without affecting seriously the pockets of the consumers. The vintage has been better, despite phylloxera and frost; the wine industry of the country is not compromised; new vineyards are coming into existence, and if proprietors cannot extirpate the phylloxera they can at least protect themselves against its ravages. Live stock has left not a little to be desired; this is due to short supplies of food. The price for fat stock was high, but a deficiency of fodder made it difficult to prepare cattle for butchers.

AGRICULTURAL SHOWS.—In the holding of the governmental regional agricultural shows, an improvement has been effected by admitting horses. The odd circumstance about the affair was, that so important an industry as horse-breeding, and of paramount importance to France, should have been omitted. Even as matters now stand horses are not admitted to these contests even on a foot of relative equality with pigs. The resolution to award no more prizes to agricultural implements is questionable. Old manufacturers are weighted with diplomas and medals, but this is no reason why new makers ought not to have their cakes and ale. Implement shows and trials are very common; so much the better for manufactures and agriculture.

AGRICULTURAL NEEDS.—Internal roads are much needed in France. To remedy this defect, landed proprietors interested in opening up any district, are now provided with the necessary powers for doing so. The transport rates charged by railway companies are positively so high as to be next to prohibitive; they constitute one of the most serious obstacles to the progress of agriculture. To protect the beet sugar interest, so-called free-trade farmers demand that the duty of 20 francs per cwt. be maintained on colonial sugars and the home tax reduced to 24 francs per ton of beet delivered at the factory. Agriculture has been endowed with a special minister since over two months, but how long that business-like arrangement may be continued is uncertain.

THE SUGAR BEET.—In the north of France sugar beet is viewed by the agriculturists as a cornucopia. It possesses the advantage of feeding stock cheaply under conditions where high farming is practiced. The products from beet—sugar, molasses, alcohol—repay in a great measure the expenses of production, while the pulp, varying in price from 10 francs to 15 francs per ton, following not so much quality as locality, feeds working bullocks, then fats them off, in addition to supporting sheep and cows. The value of the manure must not be omitted. In the Department of the Nord, 25 per cent. of the arable soil is under beet, which realizes on an average 20 francs per ton. About 24 tons of pulp are viewed as equal to one ton of ordinary hay. At Roye, Messrs. Pluchett & Frissard cultivate 15,000 acres of sugar beet, less 25 in meadow. The rotation is triennial; beet, wheat or rye, oats and clover. They employ 160 bullocks, 30 horses and a steam plough. The sugar beet worked up during the season is 150 tons per day.

This establishment was the first to employ the extraction of beet juice by the process of diffusion, now so general, which has superseded the old method of pressing the pulp in sacks in hydraulic machines. The principle of diffusion reposes in osmosis and exosmosis, the same laws which regulate the flow of sap in plants. If on a glass of water a little wine be carefully poured and the air kept perfectly still, the wine being lighter, will float, but in time will be found to have gradually become mixed layers like, in the water. Or, if a bladder containing a solution of sugar be hermetically fastened and suspended, not a drop of the contents will escape; but if the bladder be placed in a vase of water, the solution will exude through the pores of the membrane, the water also passing inwards at the same time, rapidly. The liquids exchange places. This is the process of diffusion. The beet is cut up into little slices, placed in an iron cylinder and hot water added, as the change thus provoked is more rapid. The cellulose of the beet act the role of the membrane of the bladder; they empty their sugar and salts into the water, when the solution is duly drained off and the pulp taken out and pressed to obtain all the liquid. Under the ancient press method from 4 to 6 per cent. of useful substances were lost; by the diffusion process only about a half. In other words, 64 per cent. of sugar is now obtained against 54 formerly, which on 15,000 tons of roots means 1,000 sacks more of sugar. The labor, too, is less. The pulp from the beet treated by the diffusion plan contains from 10 to 15 per cent. more water, hence, less esteemed by farmers; but then it costs 10 francs less per ton, and when mixed with cut fodder, linseed or cottonseed cake, fattens animals well in four months. Chemists allege that no great advantage is gained by having a pulp rich in sugar, for when the pulp is placed in the trench for conservation the sugar becomes rapidly changed into alcohol and next into acetic acid. The scums from the defecation of the juice make excellent manure, being rich in nitrogen, as a

top dressing for meadows it is invaluable, and ploughed in after a flax crop is considered as an excellent preparation for stolen crops of turnips. On beet farms, the ratio of stock kept in 10 sheep or pigs, or one head of black cattle per 84 acres.

Paris, January 26, 1883.

American Cereals—Yield for 1881, and Valuation.

The cereal estimates of the department of agriculture for the crop of 1881, show a more general reduction in yield than for many years. During the five preceding years no one of the grain crops met with serious disaster. In 1875 the wheat product was reduced, while the corn crop was above an average. In 1874 the reverse was true, wheat making an average crop, and corn nearly as bad a failure as in 1881. In 1860 corn was a comparative failure, while wheat produced more than an average yield. In no season since the inauguration of crop reporting has there been so general disaster, involving corn, wheat, barley, buckwheat and rye, oats alone being exempt from loss. The aggregate of corn estimates is 1,194,916,000 bushels, grown upon 64,362,025 acres, or 18.6 bushels per acre. This is a reduction of 31 per cent. from the crop of 1880.

The wheat crop aggregate 380,280,090 bushels, a reduction of 23 per cent., grown upon 37,709,020 acres, a yield of 10.1 bushels per acre—the lowest rate of yield yet reported for the entire crop.

Rye, 20,704,959 bushels, a reduction of 27 per cent.; area, 1,789,100 acres, yielding 24.7 bushels per acre.

Barley, 41,161,330 bushels, a reduction of 9 per cent., grown on 1,967,510 acres, or the rate of 20.9 bushels per acre.

The product of oats is 416,481,000 bushels, against 417,885,380 in 1880. The acreage is 16,831,000, and the yield 24.7 bushels per acre.

Buckwheat, 9,485,200 bushels, grown on 828,815 acres, yielding 11.4 bushels per acre.

The aggregate product of all cereals is 2,063,029,570 bushels, against 2,718,193,501—a decrease of 24 per cent.

The aggregate value of cereals grown in 1881 is greater than the total valuation of 1880. Corn and oats, mainly consumed at home, and used interchangeably, are most affected by the failure of maize. The average value of corn advanced from 39.6 cents in 1880 to 63.6 cents in 1881; oats from 36 to 46.4 cents; wheat advanced from an average of 95 cents to \$1.19 per bushel.

The values are in round millions as follows: Corn, 759; wheat, 453; oats, 193; rye, 19; barley, 83; buckwheat, 8; total, 1,465, against 1,361 in 1880.

Tobacco in Anne Arundel, Md.

A planter writes THE AMERICAN FARMER as follows:

I have proved conclusively that the same kind and same quality of tobacco can be raised in lower Anne Arundel county as is raised in Lancaster county, Pa.; that it can be used for same purposes and will bring as much money, if the same care is taken to keep the worm off the plants as Pennsylvania tobacco. But on account of the law in this State compelling planters to pack in hogheads of 600 pounds or more, and also because of compulsory inspection, my experiments have gone for nothing, as tobacco buyers want the article packed in boxes of from 200 to 400 pounds. By tobacco buyers, I mean parties that would buy Pennsylvania or similar tobacco. They are called packers in Lancaster and are the firms to whom the farmers sell their crop. Give us a new tobacco inspection law devoid of above objectionable features, and the farmers of southern Anne Arundel county need no longer cry hard times and "wolf," but can go to work and raise Lancaster tobacco and get wealthy.

Reseeding Run-Out Pastures.

An inquirer having asked George Geddes, one of the best of farmers, how to do this he replies as follows, the object of the inquirer being to get this field to produce abundance of good pasture grass without plowing it up: This is no very difficult matter, as I understand the case. First, cut the thistles and all clumps of grass close to the ground this fall. A mowing machine does much better work than a scythe. The object of this is to fit the ground for harrowing next spring. Soon as the ground is in condition to work next spring, harrow it thoroughly, and sow grass liberally on the raw surface, and cover this grass seed lightly, not more than half an inch deep. Just how much the surface should be broken by the harrowing must be decided by circumstances. If the cattle can be kept off for a while more harrowing will be admissible, than if the land must be immediately run over by farm stock.

If the field could be allowed to remain ungrazed until midsummer, a crop of hay could be taken off to great advantage, and in such case the ground should be severely cut up by the harrow teeth to give the new seeding the greatest advantage, and in any case the old sod will bear much more cutting up than a person who has never had experience in this matter would think, and still leave life in the old roots to grow. As to the kind of seeds, and quantity to be sown, I would advise for one acre, six quarts of red clover seed—to contest the occupancy of the land with the thistles. Many persons think Canada thistles are easily killed. I do not, and I have found red clover, sown thickly, the very best thing to dispute possession and keep the thistles down. With the clover sow one bushel of orchard grass seed. This grass is slow to take possession, but will be ready to succeed the clover and will last. Just here it occurred to me that some seven or eight years ago we changed the fence between an old sidehill permanent pasture and what was then an unseeded wheat stubble. Nearly an acre of this stubble was put in with the pasture, and has been grazed over since by all kinds of farm stock, and at times very closely cropped by sheep.

I have just returned from an inspection of this land, and found as I expected, that the orchard grass had survived, and was rank and vigorous, spreading its wide leaves over the ground just as it has all along through the late extreme drouth in the lawns about my house. Judging by the appearance of the pasture, the flock of lambs now on it prefer the June grass (another name for Kentucky blue grass), as they keep that fed closer than the ranker orchard grass. But the June grass ripens and dries up early in the season, and only starts again when favoring rains and warm weather gives it an uncommon stimulus. So I advise orchard grass to form part of a permanent pasture. Kentucky blue grass should be sown with the rest, one bushel to an acre, if there are no roots of this grass in the land. Timothy at the rate of four quarts to the acre, will help occupy the ground while the other and more permanent grasses are acquiring possession. I do not advise sowing gypsum (land plaster) on mucky land, as on such it has never shown me any beneficial results, but on uplands I would advise one bushel per acre of gypsum as of the greatest importance.

In sowing orchard grass and clover on the same ground, it is recommended to sow the two kinds of seed separately, and also to divide the orchard grass into two parcels, and sow it in two directions. This secures regularity in the distribution, and prevents the formation of tussocks. Some practice dampening the seed, but this is not necessary if care be taken, and especially if it is sown as suggested.

Coomassie 1442. J. H. B.—H. C.

Coomassie, the subject of our illustration, is the property of Mr. S. M. Burnham, of Saugatuck, Conn., who also owns a son and several of her grand and great-grand-daughters. In our issue of January 1, we made mention of the fact that Mr. John E. Phillips, of Baltimore, had added to his herd a young inbred Coomassie bull, Count of Oxford. We have made some effort to secure not only a cut of this remarkable cow, but a record of the performance of members of the family, which we give below.



COOMASSIE.

Coomassie was dropped in 1871, and imported to America in January, 1881. She brought with her a remarkable reputation, gained by continuous and unprecedented success in the Island show rings, where the competition against her gradually decreased, until at the last two shows at which she appeared but one competitor in each year could be found to enter the lists with her. With different judges in every trial she won the following prizes: 1876, first prize, young cow class; 1877, first, old do.; 1878, first, champion do.; 1879, first, do.; 1880, first do. Also, four first prizes at Parish shows, from 1875 to 1877. Her sons were also continuously successful, and her descendants figure more largely as winners at the Island shows than those of any animal in the annals of Jersey. Her repeated triumphs have indicated her to be the model Jersey cow as to form and appearance. Her dairy qualities, however, and her power to transmit them to her descendants are even more strongly marked than her success in the show ring, and stamp her family as unexcelled in that most important characteristic of the Jersey cow—ability to make large amounts of butter, and to continue to do so for long periods after calving.

In herself she has records as follows: 1878, 16 lbs. 11 ozs. of butter in 7 days; 1879, 16 lbs. 7 ozs.; 1880, 16 lbs. 9 ozs. Tracing to her son Khedive are Ona, with a record of 17 lbs. 4 ozs. in 7 days at 3 years old, on grass and two quarts of corn meal per day, and 11 lbs. 4 ozs. in the same period 7 months after calving and 5½ months in calf. Princess of Ashantee, with 11 lbs. 13 ozs. of butter in a week, and 16 qts. when fresh, at 2 years.

To Koffee, her oldest son, the following animals trace: Island Star, with 3 lbs. 4 ozs. in 2 days, equivalent to 11 lbs. 6 ozs. in 7 days—made 10 months after dropping her first calf, at 2 years, and being 6 months in calf. This record stands unequalled, considering the age of the animal, length of time in milk and calf. Queen of Ashantee, with 10 lbs. 14 ozs. to her credit 6½ months after calving as a two-year-old. Auntybel, 7 months after calving, as a two-year-old, made 9 lbs. 3 ozs. in 7 days, being 5½ months in calf. Fancy Fawkes has 8 lbs. 3 ozs. to her credit at 7 months from calving, at 2 years.

Coomassie's third son, Vertumnus, numbers among his daughters La Rouge, who made 14 lbs. 2 ozs. at 4 years. Punchinello, who gave 15½ qts. when in first calf, and Le Gros' Lily of the Valley, with 8 lbs. 12 ozs. of butter in 6 days, at 3 years.


The blood is comparatively rare in this country, and the above named animals represent about one-half of those which have yet been in milk, and about all that are known to have been tested. Most of them are young, and none, so far as known, over 5 years old. In view of these facts, and the remarkable degree of excellence of the tests, it is no idle boast that the blood of Coomassie is not excelled, as yet, as a producer of butter makers. Her descendants combine beauty of form and fine breeding, with perfect shaped udders and well spread teats, in every case. In appearance Coomassie is a buckskin fawn, with much white, low on the leg, and fine in bone; her ribs spring well out, and compass a splendid barrel. She has a long, flat neck, and beautiful head and eye; a very large curvilinear escutcheon, and absolutely perfect shaped udder, with well spread teats.

We have had the pleasure of a personal inspection of this remarkable cow and many of her female descendants, and can say that the prepotency or power of transmitting large, perfect shaped udders is truly remarkable, and we have no hesitancy in saying that Mr. Phillips has added a valuable strain of blood to his already large and choice herd.

Mr. F. Von Kapff has a fine daughter of Rex in calf to Catona, a son of Ona, mentioned above.

Since writing the above we have again had the pleasure of visiting the home of Coomassie, and found her fresh with a bull calf, and the present development of udder, we were assured, far exceeds in dimensions the one at the time the photographs for the cuts were made, which was shortly after her importation. Her udder is simply perfection in shape, and would serve as a model. It measured 54½ inches in circumference, 19 inches longest diameter, and 10 inches diameter in rear. We also saw eleven of her granddaughters and great-granddaughters, who have come in milk, most of them but once, and the uniform development of udder, as well as other characteristics of the old cow, show beyond dispute that she is possessed of remarkable prepotency. The tables of Major Campbell Brown of cows which have made as much as 14 lbs. of butter per week, which appeared in the last number of the *Country Gentleman*, and which we will probably copy and comment upon in our next, show, from the hasty glance which we have been able to give to them, that the combination of Splendid 2, Albert 44, McClellan 25, and Pansy 8, so often mentioned in our columns, takes the lead so far, and is certainly remarkable prepotent blood; but we could not resist the conviction that the Coomassie blood is the strongest in this country to-day. The four animals mentioned above lived in their prime from 15 to 20 years ago, while Coomassie is only 11 years old, still in her prime, and has only been in this country a little over a year; and to attempt to resist the lesson taught by the tests of her offspring, published above, as well as those conveyed to the eye by a personal inspection, is futile, and no man can afford to do so simply because another enjoys almost a monopoly of this family.

We wish Mr. Burnham every success and good fortune with them, and believe they could not have fallen into better hands. And we advise the owners of the Pansy-Albert-McClellan combination to secure representatives of the family whenever occasion offers, as the most suitable out-cross for their herds.



COOMASSIE—REAR VIEW OF UDDER.

The Jersey in the Show Ring.

Messrs. Editors American Farmer:

Under this title in the number of the *Southern Planter* of February 1, Dr. M. G. Ellzey writes advocating that Guenon's system, or the escutcheon test, should be excluded in judging Jersey cattle, "or if they are to be included, let it be authoritatively laid down that they shall be;" and "that in his opinion the escutcheon theories of Guenon are foolishness, simon-pure and simple; and that the solid color and black point mania is only less foolish than Guenonism."

Is the doctor aware that the American Jersey Cattle Club, a club composed of gentlemen of intelligence, who have made Jersey cattle a study, have formulated a set of rules, or a "scale of points," to be used in judging Jersey cattle by judges at fairs, and that this scale of points allows eight for perfection of escutcheon—as many as are allowed to any other single point?

Is the doctor aware that the learned agricultural societies of France appointed committees to test Guenon's theories, and that these committees subjected Guenon to the severest tests which human ingenuity of that day could invent, and that on the recommendation of these committees, after the application of those tests, such societies voted Guenon the highest honors and medals?

Is the doctor aware that the French National Assembly, after subjecting Guenon and his "theories" to the same character of tests, tests where he was required to give the milking capacity of cows he had never seen before, voted him a life pension of 3,000 francs a year "as a national benefactor," and employed him at Government expense to deliver lectures, and said that such lectures would be the speediest and best means of "spreading the knowledge of this discovery, and that we cannot be in too great haste to repair the time lost in ridicule, doubt, or indifference, the inevitable preface to all undertakings beneficial to humanity?"

Is the doctor aware that the poor fools, the inhabitants of the Island of Jersey, where the Jersey has been owned, bred and brought to her present perfection, after years of patient labor and thought give high money prizes every year for the best escutcheon, and which they denominate the Guenon prizes?

The foolishness, "simon pure and simple," in this age is that foolishness which rejects a law of nature because perchance the disciples of John Jasper cannot see the why nor the how. When these *savants*, as Prof. Hazzard has so aptly said, can tell us the why and how of the law—that green grass consumed by a black cow produces red blood and white milk—they may be allowed to reject every other law the cause or effect of which they do not understand.

The foolishness is not in Guenon's theories, but in the intellect of the men who attempt to apply his theories. It is not claimed that a large escutcheon causes a large flow of milk, or that a large flow of milk causes or produces a large escutcheon, but simply that the presence of the escutcheon is an indication of an inherent tendency to milking qualities, and as they can be seen on calves a week old as readily as on grown cows, they are of as much value in judging the one as the other. But the calf thus dropped with the milking tendencies may be and frequently is ruined in the rearing, and fails to produce as was expected. The Shorthorn cows, with which the doctor is familiar, have the largest escutcheons of most any breed; and can the doctor deny that there is an inherent tendency in the Shorthorn family for a large flow of milk, when not counteracted by excessive flesh forming? Is it not a fact that some of the largest milkers ever known have been Shorthorns, and is it not also a fact that in many of the higher bred families the calves of cows are taken away and put on nurses and their dams dried off, because the two processes of flesh forming and large milk

yielding are inconsistent; and does the doctor doubt that if a family of Shorthorns were reared for several generations on short rations, until after first calf, or rather rations to produce bone and muscle and no fat, and the milking after calving stimulated as far as possible, that the Shorthorns of those families would reacquire their large flow of milk? They have the inherent tendency, which is temporarily held in check, and which is evidenced by their escutcheon.

Has the doctor any facts to give to show that in a majority of cases the cows with the largest escutcheons are not the largest milkers? For if he has not he is scarcely an authority against men who have noted the character of some 25 or 30 cows in their stable, and carefully weighed every ounce of milk for several years, and have found the escutcheon to be almost infallible. Such a case was recently published in the *Country Gentleman*.

Let our exhibition managers select judges who are capable of applying Guenon's theories, and are also well informed as to the other requisites of good milkers, instead of picking up men who are reared in the Shorthorn-much-teef school, and are besides "good fellows," and in some instances really can tell a clam from an oyster, and the dissatisfaction with the awards of which the doctor speaks will disappear, except among men themselves ignorant.

JERSEY.

"Touch."

The *Quarterly Journal of Agriculture* says of this quality: "The skin affords in what is technically and emphatically called the touch, a criterion second to none in judging of the feeding properties of an ox. The touch may be good or bad, fine or harsh, or, as it is often termed, hard or mellow. A thick, firm skin, which is generally covered with a thick set, hard, short hair, always touches and indicates a bad feeder. A thin, meager, papery skin, covered with thin, silken hair, being the opposite of the one just described, does not, however, afford a good touch. Such skin is indicative of a weakness of constitution, though of good feeding properties. A perfect touch will be found with thick, loose skin, floating as if it were on a layer of soft fat, yielding to the least pressure, and springing back to the finger like a piece of soft, thick chamois leather, (or a piece of the best silk velvet), and covered with thick, glossy, soft hair. It is not unlike a fine, soft moss, and hence such a skin is not unfrequently styled 'mossy.' A knowledge of touch can only be acquired by long practice, but after having acquired it, it is of itself a sufficient means of judging of the feeding qualities of an ox, because, when present, the properties of symmetrical form, fine bone, quiet disposition and purity of blood are the general accompaniments."

A Cattle-Feeding Experiment.

In the spring of 1880 eight young steers were purchased for the experimental farm of the Illinois Industrial University. Two were full-blooded Ayrshire, two seven-eighths Devon, two one-half Herefords—the dams being "common" cows—one a full-blood and one about three-quarters Shorthorn. They were in ordinary condition, the younger Hereford and the grade Shorthorn being in best flesh. They were counted fair specimens of the different breeds, except the older Hereford, which was small for age, and not of especially good form.

It was purposed to compare the different breeds under ordinary treatment, rather than to secure a large development. May 1, 1880, one of each breed—Numbers 1, 2, 4, and 6 of table—was placed in pasture with other cattle, until October 1, when they were turned into a corn-stalk field. The other four were kept in a small pasture which proved quite poor during a part of the

summer, having also corn each day. They were placed with the others in October, and all were wintered in an open yard, with unthreshed oats, much injured from lodging and rains, threshed timothy straw, corn-stalks, and a very little corn at the last. From May 1st they were all on pasture—timothy, blue-grass and clover—with full feed of shelled corn, averaging about 200 pounds per day for the eight head, until September 1; after this they were fed new corn in the ear, about one-half bushel each per day. From July until cool weather they were on pasture only at night, having shelter during the day in a rather dark shed. There was severe drouth both summers, especially in 1881, the pastures becoming very short. The winter was a trying one on stock exposed to the storms and mud.

In August one Ayrshire steer met with an accident and had to be killed. November 4, the remaining seven were shipped to the Chicago fat-stock show, where they were slaughtered November 12.

The accompanying table gives the ages, weight at different times, and results of the slaughter test. The home weights are "full weights"; those at slaughter are after being without food and water about eighteen hours. A committee of butchers examined the carcasses, and their judgment is given in column "Quality of carcass."

Number.	Name.	Breed.	Calved.	Weight May 1, 1880.	Weight Nov. 1, 1880.	Weight at slaughter.	Per cent. of dressed carcass.	Forequarters.	Hindquarters.	Hide.	Tallow.	Qual. carcass.
1	Jack	Ayrshire	March 1, 1879	765	920	1,220	73	386	347	87	71	2
2	Thomas	Ayrshire	Feb. 3, 1879	805	890	1,300	70	374	388	86	54	3
3	May Duke	Devon	March 1, 1879	800	890	1,175	70	368	395	82	55	4
4	Burnham	Devon	May 1, 1879	735	1,100	1,546	65	345	410	85	68	5
5	Junior	Hereford	Oct. 1, 1878	750	840	1,236	75	367	355	88	56	6
6	Era	Hereford	Aug. 30, 1879	750	1,100	1,400	80	407	413	90	76	7
7	Oscar	Short-horn	April 1, 1879	635	900	1,375	88	431	385	87	58	8

Prof. Morrow, who makes this report, says tables are not interesting reading, but some suggestive facts can be learned from this one. It is noticeable that no one of the steers fed grain the first summer made as much gain as his mate on better pasture, without grain. It is evident that "rough wintering" was not profitable with these cattle. No one made a good gain, and two lost slightly. The steers were weighed, as a rule, each sixty days during the whole time, and the record shows that no one of them progressed uniformly. The large shrinkage at slaughter is accounted for by the fact that the home weight was after eating and drinking; the slaughter weight after fasting.

While no one of the steers was excessively fat, the percentage of carcasses to live weight is satisfactory. The Short-horns stand first in this respect, one Hereford next. The committee complimented all the carcasses as being more profitable for commerce than those of the excessively fat animals slaugh-

tered with them. The highest percentage of carcass among the latter was 67.56. The showing made by the Ayrshire steer is very creditable for an animal belonging to a distinctively milk breed. It happens that the order of merits of the carcasses is placed in the same order as the proportion of "improved blood" in the different animals. Singularly enough, the carcass pronounced best had, relatively, the lightest hind quarters. This steer was the favorite of almost all who saw the cattle when alive. The steer with largest percentage of tallow was placed last in merit of carcass; the next to him in tallow were placed first and second in merit of carcass. The grade Herefords had heaviest hides in proportion to live weight.

It is expected to continue like experiments. The results of one must not be considered conclusive.

The First Calf.

It is often the case, when a heifer has her first calf, that the farmer thinks she will not give more milk than will keep her calf in good condition, and lets them run together to teach her the mystery of being milked when she has her next calf. In this decision there are two mistakes that go far to spoil the cow for future usefulness. Cows are largely the creatures of habit, and with their first calf everything is new and strange to them, and they readily submit to be milked, and think it all right; but suffer them to run with the calf the first season, and a vicious habit is established that they will hardly forget in a lifetime. If they ever submit to be milked quietly, it is evidently under protest. But there is a greater objection than this. The calf running with the cows draws the milk every hour or two, so that the milk vessels are at no time distended with milk, though the quantity secreted in a given time may be large. But this is the natural time to distend the milk ducts and expand the udder to a good capacity for holding milk. When, with her next calf, you require the milk to be retained twelve hours, the udder becomes hard and painful, and the milk leaks from the teats, or more likely, nature accommodates the quantity of the milk secreted to the capacity to retain it, and the cow becomes permanently a small milker. Much of the future character of a cow, therefore, depends on her treatment with her first calf.

Gentleness with Horses.

A horse cannot be screamed at and cursed without becoming less valuable in every particular. To reach the highest degree of value the animal should be gentle and always reliable, but if it expects every moment that it is in harness to be "jawed" at and struck, it will be in a constant state of nervousness, and in its excitement is liable, through fear, to do something which is not expected, as to go along doing what you started it to do.

It is possible to train a horse to be governed by word of mouth, almost as completely as it is to train a child, and in such training the horse reaches its highest value. When a horse is soothed by the gentle words of his driver—and we have seen him calmed down from great excitement by no other means—it may be fairly concluded that he is a valuable animal for all practical purposes, and it may be certainly concluded that the man who has such power over him is a humane man, and a sensible one.

But all this simply means that the man must secure the animal's confidence. Only in exceptional instances is he stubborn or vicious. If he understands his surroundings and what is required of him, he gives no trouble. As almost every reader must know, if the animal when frightened can be brought up to the object he will become calm. The reason is he understands that there is nothing to fear. So he must be taught to have

confidence in the man who handles him, and then this powerful animal, which usually no man could handle if it were disposed to be vicious, will give no trouble.

The very best rule, therefore, which we would lay down for the management of the horse, is gentleness and good sense on the part of the driver. Bad drivers make bad horses, usually.

The Argument Against the Blind Bridle.

We know not who invented this instrument of horse torture, but we know he did not understand the anatomy and physiology of the eye of a horse. Human vision is binocular—that is, we see the same objects with both eyes—and so adjust the axis of vision that the object appears single though seen with the two eyes. But the eyes of the horse are placed on the side of the head and the axis of each eye is nearly at right angles with the longitudinal line of the body, so that it is impossible that the same object can be distinctly seen with two eyes. Now by blinding the eye in the direction in which it was intended in its construction that it should see, it is forced to use an oblique vision, as if we should cover the front of our optics and be compelled to see only by the corners of our eyes. This unnatural and constrained use of the eye must, to a greater or less extent, impair vision, if not entirely destroy it. The object for which the blind bridle is used is not accomplished by it. A horse is more readily frightened when he cannot see the object of his dread than if he can have a fair view of it. But it is surprising to observe with what tenacity men hold on to an absurd and cruel practice, when a moment's reflection would teach them better. Nineteen out of every twenty horses you see in harness have blind bridles on, and if you ask the owner to explain its benefits, or why he uses it, he will be utterly unable to give a rational answer. We are not surprised that draft horses are subject to diseased eyes—we wonder that they are not all blind.

Sheep.

The crying need of American Agriculture to-day is a more general incorporation of the sheep into the farming economy. More prolific than horses or cattle, as well as more tractable, subsisting on scantier herbage, and requiring less supervision; it claims the additional advantage of "paying for its raising" in annual instalments of marketable fleece, pending its growth to maturity. It is more readily transferred from one inclosure to another, and is easily restrained by fences which would prove no barrier against the encroachment of other farm stock. Its light tread and love of repose warrant its access to fields and pastures where tramping of cattle and tearing of hogs would not be tolerated. It wastes less food in proportion to the quantity consumed, and will hunt and utilize much that would otherwise be lost to the farmer.

Yielding a return in both fleece and flesh it furnishes its owner with the double advantage of catching a good market for his product, requiring less water and disposed to work for its food. It is without a peer when summer's drouth taxes the farmer's resources for enabling his live stock to maintain an average of thrift and flesh. All that can be said in behalf of feeding live stock on the farm, as distinguished from the soil impoverishing policy of placing the raw grain and grass upon the market, will be found to apply with double emphasis to the farm that carries as a part of its outfit, one or more sheep per acre. No other animal returns more fertility to soil in proportion to the amount exacted for its support, while none equals it in the evenness with which the droppings are distributed. Notwithstanding the evident advantages, an increase in sheep

culture brings the agriculture of a country generally, and especially insuring to the benefit of such farmers as incorporate it into their system, the fact is apparent that sheep are not so numerous or so evenly distributed as they should be.—*Breeder's Gazette.*

Look to the Lambs.

The near approach of spring, as indicated, not alone by the calendar, but by the bright skies and high temperature that so generally prevail, will admonish the flock owner that the season for his early harvest is at hand. If he has not already provided such conveniences and necessities as will ensure the comfort and enhance the health and thrift of the lambs, upon which so large a proportion of his profit depends, he should lose no more time in perfecting such arrangements. A lamb once on his feet, and well filled with its mother's milk, has escaped one-half the risk of lamhhood, and is ready to grow and thrive; while its less fortunate associates are overcoming the backsets resulting from being chilled and hungry by reason of the oversight or carelessness of their owners.

At this time, the shepherd cannot be over-kind to the in-lamb ewes, provided his attentions are reasonably bestowed. Comfort they must have; luxuries, if such can be secured, they will well repay—such luxuries as an occasional run over the pasture on bright days, a chance to nibble in the rye field, with extra articles of food when these are within reach. These will give good tone to the system, encourage the secretion of milk, and in every way prepare the mother for the trials of maternity and the subsequent demands upon her while suckling a vigorous lamb. It is not enough to allow the breeding ewes to take their chances with the other members of the flock until yearning time, and then separate them for a change in treatment. If not kept to themselves all winter, they should be separated some weeks before the lambs are due, so that they may become thoroughly accustomed to their surroundings, and have the opportunity to reap such advantages as are promised by the change before the lamb appears. A well sheltered sleeping place, with ample dry bedding, is an essential that should not be overlooked. Demanded at all times by considerations of economy and mercy, and so readily within reach of every farmer, the failure to provide it at this time is an evidence of negligence and short-sightedness of which an intelligent man should feel ashamed.—*Breeder's Gazette.*

Training Shepherd Dogs.

Darwin thus describes the training of shepherd dogs: "When riding it is a common thing to meet a large flock of sheep guarded by one or two dogs, at a distance of some miles from any house or man. I often wonder how so firm a friendship has been established. The method of education consists in separating the puppy while very young from its mother and in accustoming it to its future companions. A ewe is held three or four times a day for the little thing to suck, and a nest of wool is made for it in the sheep pen. At no time is it allowed to associate with other dogs, or with the children of the family. From this education it has no wish to leave the flock, and just as another dog will defend his master, man, so will this dog defend sheep. It is amusing to observe when approaching a flock, how the dog immediately advances barking and the sheep all close in his rear, as if round the oldest ram. These dogs are also easily taught to bring home the sheep at a certain hour in the evening. Their most troublesome fault when young is their desire to play with the sheep, for in their sport they sometimes gallop the poor things most unmercifully. The shepherd dog comes to the house every day for his meat, and as soon as it is given him skulks away as if ashamed of him-

self. On these occasions the house dogs are very tyrannical and the least of them will attack and pursue the stranger. The minute, however, the latter has reached the flock he turns round and begins to bark and then all the house dogs take quickly to their heels. In a similar manner, a whole pack of hungry wild dogs will scarcely ever venture to attack a flock guarded by one of these faithful shepherds. In this case the shepherd dog seems to regard the sheep as his fellow brethren and thus gains confidence; and the wild dogs, though knowing that sheep are not dogs, but are good to eat, yet when seeing them in a flock with a shepherd dog as their head, partly consent to regard them as he does."

Pen for Breeding Sows.

Here is a plan for preventing sows from overlying and killing their pigs immediately after farrowing, which is the cause of great loss in the aggregate. The pigs are weak, and unable to get out of the way, and the sow in lying down, crushes or smothers them against the side of the pen. One farmer told me he lost a litter of twelve pigs in two days. The sow does not lie down on the pigs, but usually pushes them out of the way. To prevent crushing them against the side of the pen, mortice a four-inch scantling firmly into each side of the pen, one foot from the floor, and one foot from the wall. There must be no support from below, as the pigs would be as liable to be crushed against them. Scantling may be fixed into the wall on two opposite sides, and for the ends, mortice the scantling into the two side ones, one foot from the wall. Fourteen days after farrowing the rails can be removed. Never leave the feeding trough in the pen, but remove immediately after feeding. Do not give long litter, as the pigs get entangled in it. Short litter and little of it is best. If the above plan is adopted it will save the pigs, without fail.

POLLED CATTLE—The New York *Tribune* says: Only second to the high honors conferred on them at Paris in 1878, were those won at the last London Fat-Stock Show of the celebrated Smithfield Club, where the champion prize for best animal, (in competition with Shortborns, Herefords and cross-breeds), was accorded to an Aberdeen or Angus heifer thirty-two months old, her winnings aggregating \$1,000, and the "Sweepstakes premiums" to cow and steer of the same highly useful and increasing popular breed. The latter is under three years; his coat and hornless head are characterized by The Agricultural Gazette as "charming;" while another enthusiastic journal describes the champion as "not big," but very excellent in all respects, even-topped, round as a barrel, very fine-boned, of grand quality, having superb shoulders and osom.

PURCHASE OF ANOTHER FINE JERSEY.—Mr. Samuel M. Shoemaker has purchased from John I. Holly, Plainfield, N. J., on terms which are not announced, the Jersey cow Miss Muffitt 9907. She is by Major Domo 2161, by Imp. Autocrat 1065, out of Imp. Meg 673, out of Ruth 487, imported by Thomas Motley. She is between three and four years, and is a solid gray with a black switch.

SALES OF STOCK.—Mr. E. B. Emory, Queen Anne's Co., Md. has sold the following Shortborns: To G. A. T. Snouffer, Adamstown Frederick county, Md., bull calf from Barrington Bates 12th by Airdrie Duke Syracuse for \$200, and Belle of Lynwood, a yearling heifer for \$150; also Miss Renick Rette 3d, sired by Imported Grand Duke Geneva 28756, dam Miss Renick Noxbee for \$900. The last named was exhibited at number of the Fairs in Maryland last year, and won many prizes.

Veterinary.

"Wolf's Teeth" and Lampas.

The so called wolf tooth in horses is a small rudimentary tooth, situated immediately in front of the grinders or molar teeth, and in line with these. Ordinarily this supernumerary tooth is shed simultaneously with the milk teeth; but sometimes it is retained longer. Accidental diseases of the eyes are not unfrequently attributed to the presence of wolf's teeth. This is an error. The only inconvenience caused by these teeth occur when they diverge from their normal straight position, when the point may cause soreness of the cheek or of the tongue. Eventually, the wolf's teeth would, by natural action, become quite absorbed. Should, however, any inconvenience occur from their presence, they should be removed. This can easily be done by a pair of small forceps. The usual method of punching them out with a chisel and hammer, not only causes unnecessary pain to the animal, but the gums and neighboring teeth are apt to be injured thereby.

During the process of dentition, the gums are often subject to an affection designated lampas, which may be said to consist of a tumid and inflamed appearance of the palate, and is no doubt in most cases the direct result of the irritation set up in the teething process. Lampas is, however, an affection not by any means confined to the young horse; it is often seen in the aged animal, although not in so great a degree, or showing so much inflammation; it may then be the result of a kind of chronic irritation, or of indigestion. Very often, however, lampas in the horse's mouth depends for its existence on the fertile imagination of the owner or the groom. Many of the latter, directly a horse is off its feed, at once rush to the conclusion that he has the lampas; they open his mouth, imagine the bars of the palate are swollen, and at once take the horse to the blacksmith or the horse doctor to have them burnt down. This operation is just a varied form of vivisection, unnecessary in character, devoid of benefit, and cruel in the extreme. Any man, whether veterinary surgeon, or horse owner, who allows such a vile practice to be carried out, ought to have the hot iron applied to the posterior part of his person. If the palate is really swollen, relief can be obtained by scarifying with a small lancet; and, if necessary, cooling medicines may be administered. This is the best, the easiest, the most humane and sensible treatment.—*Prairie Farmer.*

INDIGESTION AND SCRATCHES IN HORSES.—For indigestion give the following:—Blood root, mandrake, gentian, liquorice, ginger, lobelia, each 1 oz.; nitre, 3 oz.; sulphate of iron, 4 oz.; sulphur, 6 oz.; sassafras, 3 oz. Mix and powder. Dose, 1 oz. a day in a pint of flaxseed jelly. For scratches give the above powder and the same amount; then take the water that potatoes are boiled in and wash the limb clean once a day. Then apply this ointment:—Sulphuric acid, 2 drachms; belladonna, 1 oz.; laudanum, 1 oz.; aloes, 1 oz.; sulphur, 2 oz.; lard, 6 oz. Stir well and apply.

Carroll Co., Md., Agricultural Society.

The following officers, all the old incumbents, have been elected for the ensuing year: President, Col. Wm. A. McKellip; Vice-president, David Fowle; Secretary, Francis H. Orendorff; Treasurer, Richard Manning; Directors, Jeremiah Rinehart, John B. Boyle, Edward Lynch, Dr. Jacob Rinehart, and Wm. J. Morelock.

The Hamilton (Va.) Telephone says: THE FARMER is just the paper for the agriculturists of Virginia, as it is specially adapted to their interests.

J. E. S., Marion County, W. Va., says: "I am pleased with the change, and think the old AMERICAN FARMER is better than ever."

"THE FARMER is a good friend to me," says A. S., a subscriber in Greenbrier county, W. Va.

Poultry Yard.

Will Poultry Pay?

Yes! There is nothing on the farm that can be made return as much net profit if properly cared for as poultry. They should be provided with quarters that can be made comfortable—warm in winter, and well ventilated in summer. These requisites should be observed in constructing houses, as success in getting eggs in winter depends upon the warmth of the building; and the health of the flock in summer upon the ventilation. As I have succeeded in getting eggs all winter, and in making a profit of twenty dollars per annum on fifty hens, it might be of some interest to the readers of THE FARMER to know the *modus operandi*.

My building is 12x22 feet, 8 feet to square, with a roof and 5 feet ventilator foot blinds, one eight-light window on north side, and one six-light window in each gable end; 12 feet of the south side is covered with sash 6 feet long, at an angle of 45 degrees.

In winter the windows are left in, and taken out in summer, and wire screens used in their place. The sash on south side are removed in spring and used for hot-beds. Sliding doors take their place, and are left on all the summer. There is also a sliding ventilator over these sash which can be opened or closed at pleasure. The house is lined inside with roofing felt, and whitewashed spring and fall to keep out the air in winter, and vermin in summer. The roosts are supported by four pieces spiked to the rafters, do not touch the building in any other place, this being done to prevent the lice from getting from the building to the roosts so easily.

This house can be kept warm in winter, be perfectly ventilated in summer, and is comparatively vermin proof. I feed on buckwheat, screenings, corn, and scraps from the table; give plenty of fresh water and ground bone. The fowls are kept in on wet and cold days, and not allowed to get wet and chilled.

The house cost \$75, which may be considered too much by some, but it will pay a good interest on the investment, and be a useful permanent improvement on the farm. After considerable study and inquiry, I adopted this plan, and find it combines the important requisites necessary to success. Poultry could be kept at a profit on every farm, and would furnish eggs the year round if they were provided with good quarters.

WM. E. MANAKER.

Montgomery Co., Md.

Manner of Feeding.

A correspondent of the *Poultry Yard* gives the following advice:

The poultry keeper who supposes his fowls are properly fed because he sees grain upon the ground before them at all hours, and who bestows upon them no further care about their feeding, commits the greatest error. Over-feeding is a far more common error than under-feeding. A hen is more subject to disease, and produces less eggs when fat, and if very fat will entirely cease to lay; so that there is a double loss through over-feeding. Fowls must, however, be well and regularly fed.

As to quantity, the rule should be to give fowls as much as they will eat *eagerly* in about ten minutes, when the food which is not eaten should be removed, and no more given except at the regular feeds three times a day. This applies to fowls both in confinement and at liberty. Where they have space to run and forage for themselves, the mid-day feed should be omitted.

Soft or ground food should be given early in the morning, one light feed of soft food in the middle of the day, and grain should always be given before the fowls go to roost at night. After the long night's fasting, soft food in the morning satisfies their immediate

wants; while if grain be given in the morning, several hours must elapse before it affords nourishment. Grain given in the evening on the same principle prevents hunger through the long night better than soft food and also helps to sustain warmth. This system of feeding is oftener reversed than otherwise, through the convenience of giving the scraps from dinner at night, and some writers recommend this reversed course. We prefer the former plan for the reason given; but those who prefer the latter should not fail to give some soft food with the grain in the morning, especially after the long nights of winter, in order to afford the immediate nourishment so essential after sixteen hours fasting.

Soft food should be given warm (not hot) at all times, and more especially in winter. Meal should always be mixed with boiling water, which partially cooks the food. A common error is to make the food too wet and soft, in which state it becomes injurious to the fowls, compelling them to take more water than their nature requires. It must be *very dry* when mixed so as to roll into balls and *break into pieces* when thrown on the ground, and never so wet as to stick to the surface upon which it is thrown.

Salt, if given at all, must be used very sparingly, as too much of it is injurious to fowls. It is a bad plan to feed fowls in a trough or pan, as they eat too fast and the timid ones are driven away and do not get their share. Grain should be thrown on the hard gravel and well scattered, so that the fowls must run after it. Soft food should be given upon smooth boards kept for the purpose, which should be washed often enough to keep them always sweet and clean.

It is best to place the boards some distance apart, and compel the fowls to run from one to the other back and forth—the oftener the better—as the food is thrown to them a little at a time. No plan is so objectionable as that of placing all the food in one place so that the fowls can feed without moving; this may do for fattening but not for health and good condition. We need hardly give a caution against throwing the food on muddy ground, for mud—as we have before intimated—is a thing that should never be seen in the poultry yard. Feeding fowls on muddy ground is apt to cause them serious injury by compelling them to eat their own excrement which is generally mixed with the mud in their yards. It is an excellent plan, especially in winter, to strew grain upon a floor well covered with finely cut straw, so that the fowls will have to *work* in order to obtain it.

Regularity in feeding is very essential; fowls are creatures of habit, and when they become accustomed to regular feeding and expect it at certain times, will go in search of food if they have the liberty to do so, and obtain much more than they otherwise would. It is likewise a good plan to feed them *in their house* in winter; they will then be more inclined to resort there, thus avoiding the cold, promoting their health and increasing their laying. If fed about the door as is often done, they will stand about begging in the cold for hours, and suffer in consequence. We are, of course, supposing their house to be a fit habitation for them—warm, dry, light and clean.

GUINEA HENS.—If a man can stuff his ears with cotton, or move out on the prairie where he has no neighbors, it will pay to keep a few guinea hens. They lay more eggs than the common fowl. It is also claimed that one of them will keep half an acre of potatoes clear of beetles, etc., and at the same time answer the purpose of a barometer in predicting the changes in the weather. They are good eating and very pretty. Don't buy old birds unless you want to hunt the neighborhood high and low for them every evening.—*Am. Stockman*.

Horticulture.

The Orchard and Fruit Garden.

Because of the failure of a fruit crop last season with the larger portion of our readers, orchards in some instances did not receive the attention they otherwise would; and consequently are not in as good condition as is estimated to ensure the development of fine fruit in the event of a crop the present year. When such is the case, the orchard, or portions of it exhibiting a lack of vigor and thrift, which can be determined by the growth of wood during last year, a little extra effort should be made to keep such trees in regaining their former vigor with as little delay as possible. As soon as the soil will admit of plowing, put it in order to receive whatever manure or fertilizers can be spared. If stable manure is available, broadcast after plowing; if ashes or artificial manures are used, the drag-harrow or cultivator should be used after such application in order to have their effect on the trees as early in the season as possible. True, this expenditure of labor and outlay for manures, is on the presumption that there will be a crop this year; but in the event of another failure, and possibly this may be the case, though it is scarcely probable, then there is loss sustained by unnecessary outlay (?), says the close calculating reader. But more liberal reasoning places it on the side of *gain*, in that it promotes vigorous and healthy growth of the trees, which ultimately must pay better than stinting. We know many peach growers, who twelve years ago, were impelled by their faith in the profits of this industry, to plant the greater and better portions of their farms in orchards—who have lived to see the error of limiting themselves to but *one chance*, and have within the last few years greatly reduced the number of acres appropriated to peaches, giving more attention and thorough culture to a smaller area, realizing much better profits proportionately. It requires administrative ability of no mean standard to properly manage in every detail a peach orchard of ten thousand trees, and he who attempts it with no better backing than mere enthusiasm, will sooner or later find that he has an elephant on his hands. Much better have but one thousand trees, with sufficient labor at command to meet the emergency when the throng and press of properly gathering a crop arrives, than to have ten thousand and be a couple of days behind in the work entailed thereby. In brief, plant no more fruit of any kind than you are certain, beyond a doubt, you can cultivate, care for, and market in the best order, with a selection of eight or ten of the best varieties, covering the season from first to last. Grafting can be performed during this month, especially of the cherry, which is usually attended with better success when done before the buds have swollen much. We need not enter into particulars in describing this operation, as it is a simple one, and has been repeatedly illustrated in the columns of THE AMERICAN FARMER. Grafting, when carefully done, is an easy and quick way of converting inferior kinds of fruit into the best and most profitable. Apple, pear, plum and cherry, that a fair trial has proven to be valueless, can by this method be brought into bearing fruit of the most desirable varieties in three or four years. It is better, in grafting trees of a bearing size, to graft only a part of it first, giving the tree a year to recover from the shock produced by lopping off the branches; then proceed with the other half the spring following.

In the Fruit garden as the soil dries off, and the weather falls into spring behavior, it will be proper to notice the mulching on strawberry beds, and when spread too thickly on the plants a portion of it may be renewed; but it will not be safe to go too far in this direction this month, as March is "too on-sartin in her ways" to be depended upon.

Grapes can be staked and tied up neatly; so also raspberries and blackberries where this plan is pursued, though we prefer kinds strong enough in their habits of growth to support themselves, and this nearly all of them will do properly, if pruned as they should be. A portion of the older wood in gooseberry and currant bushes can be renewed with benefit to remainder. To grow fine fruit either in the garden or orchard, requires a liking for that employment, supplemented by energy and intelligence.

Root Pruning.

The experiments were made on the apple and pear. A vigorous apple tree, eight or ten years old, which had scarcely made any fruit buds, has done best when about half the roots were cut in one season; and half three years later, by going half way around on opposite sides in one year and finishing at the next pruning—working two feet underneath to sever downward roots. It has always answered well also to cut from such trees all the larger and longer roots about two and a-half feet from the stem, leaving the smaller and weaker ones longer, and going half way around, as already stated. The operation was repeated three or four years later by extending the cut circle a foot or two further away from the tree. By this operation unproductive fruit trees became thickly studded with fruit spurs, and afterwards bore profusely. This shortening of the roots has been continued in these experiments for twenty years with much success, the circle of roots remaining greatly circumscribed. The best time for the work has been found to be in the latter part of August and beginning of September, when growth has nearly ceased, and while the leaves are yet on the trees, causing greater increase of bloom buds the following year than when performed after the leaves have fallen.—*London Garden*.

A Rustic Garden Seat.

We give an engraving of a rustic seat attached to a tree. A favorite shade tree on the lawn may be surrounded with seats, so attached that one in sitting may lean against the trunk. The position of such seats is



worthy of consideration, and as they are mainly intended for use in hot weather, they should be amply shaded. A position should be chosen that commands a good prospect, if not of a distant landscape, then of the beauties of the lawn and flower garden; some, at least, should be screened from observation by shrubbery—fragrant if possible, where we may read or work.

A very pretty seat can be formed around even a small tree. Seats of this kind need not be expensive, but something easy, graceful, fantastic, rustic, cheap, is appropriate; something that the sunshine or wind will not harm, or leave its beauty destroyed by the rain. The materials for such seats are nearly always at hand—at least on every farmer's premises. All that is required is a little taste, a little skill and patience to construct them. The branches of the trees may be bent and shaped into tasteful chairs, and any desired form given them.

Palms for Decoration of the Dwelling or Garden.

This family of plants is coming into general use for decorative purposes, and I give a list of such as are more or less adapted for that purpose. Their stately but graceful forms and tropical appearance always make them interesting.




LATANIA (LIVISTONIA) BORBONICA.

Leaves large, fan-shaped with pendant segments on margin. Petioles four to five feet long, (on plants fully developed), armed with short reflexed spines. This plant is eminently adapted for parlor or window decoration, and may be used for the embellishment of the lawn, or in vases during summer, if placed in a situation partly shaded.

Latania (Livistonia) borbonica. Leaves large, fan-shaped with pendant segments on margin. Petioles four to five feet long, (on plants fully developed), armed with short reflexed spines. This plant is eminently adapted for parlor or window decoration, and may be used for the embellishment of the lawn, or in vases during summer, if placed in a situation partly shaded.

Chamerops excelsa. Leaves fan-shaped, smaller than the above; deeply divided into segments which stand erect; color dark green; petioles three to four feet long, edged with very short teeth-like spines. This palm attains a height of forty feet; the stem is covered with dark hair-like fiber. It flourishes in a low temperature, and bears exposure to the sun tolerably well. *Chamerop humilis* is a very neat representative of this genus—habit dwarf.



CHAMEROPS EXCELSA.

Pritchardia (Brahea dulcis) pacifica. Leaves large, nearly circular, deeply incised, and covered with long thready filaments, which render it very distinct and striking. The tendency of the leaves to become yellow at the point, is rather against it as a decorative palm. Native of Mexico. For general decorative purposes, I prefer some of the Date palms, notably: *Phoenix tenuis*, *P. Canariensis* and *P. pumila*; these I have tested in the full sun and they retain their rich verdure under the most trying conditions; they may be planted or plunged on the lawn, or in flower beds.

Patterson Park, Baltimore, February 22, 1882.



PRITCHARDIA PACIFICA.

Window Gardening.

In this, one hardly knows where, or with what to commence. Tastes naturally vary so greatly, to which must be added the difference in opportunities, capabilities, etc., of those who have the subjects in care. If we consider first a few varieties of plants adapted to window culture, under the most widely differing circumstances, we would place first on the list the "Calla Lilly," and one great advantage possessed by this, especially for beginners, is that it cannot, if potted in proper soil, be over watered. The foliage is good and the flowers lovely and pure. For a variegated foliage plant the "Aspidistra lurida variegata"—a great deal of name, but not difficult of pronunciation, is the best plant of our acquaintance. It will endure more hardships in the shape of neglect, etc., than any variegated plant we know of. The next on the list we would place "Pandanus Utilis" or "Screw Pine," the latter name being as most of your readers are aware in allusion to its spiral habit of growth. Some varieties of Palms are also well adapted to the purpose, one of the better kinds being "Livistonia Borbonica," and were we not desirous of confining ourselves to medium priced plants, would add "Cycas Revoluta;" and then for those who like the style of plant, we see no reason whatever why "Imantophyllum Minlati" would not succeed admirably as a window plant. With the exception of the latter and "Calla Lilly," the plants mentioned are grown for their foliage.

Now, Mr. Editor, allow me to ask a question. How many of your fair readers know what charming subjects for balcony, window and hall, some of our hardy nursery plants

make when young? For instance, the "Retinospora Juniperus," "Thuja," etc., are all interesting and pretty when young. We do not wish to be understood as ignoring our steadfast old friend the "Geranium," nor any other old favorite, but mention others to show the varied forms of plants and flowers that are as well adapted to the purpose, as those which have so long held the post of honor in the hearts of our "window gardeners."

There are a few words to be said about the necessary skill to grow plants under unnatural conditions. Proper soil is difficult to obtain near cities; it is therefore preferable to obtain it from some skilled plant grower. Away out in the country, good soil may generally be had for the trouble of getting; three (3) barrow loads of soil, cut about two inches thick; one of well decayed manure, (dry cow droppings will do admirably) and one of thoroughly decayed leaf mould, obtained from some place in the woods where leaves have accumulated and decayed for years. This is somewhat dry and light, and may be carried in a bag.

If these ingredients are well mixed, and permitted to lie in a heap from six to twelve months, it will be fit for the growth of any plant mentioned in this paper, and of any other usually grown by window gardeners. In potting plants, those having hard wood as roses, etc., should generally be potted firmly. Soft wooded plants as geraniums, etc., should be potted more loosely. A sharp rap or two on the potting bench, with the bottom of the pot, to firm the soil is pretty much all that is needed, and whatever may be said by florists about drainage being unnecessary in the bottom of the pot, we say that for this purpose

the pots should be well and carefully drained, so that surplus water may pass off readily, as very few plants except "Aquatics" will remain in a healthy condition in a "water logged soil." Our reason for calling attention to plants of the habit and style of growth of "Pandanus," etc., is because it often happens that a plant or two may be grown, when it would be out of the question entirely to grow a dozen, and if one or two can only be had, they should be conspicuous and good. For instance, say "Pandanus," in the centre, on one side "Aspidistra," and on the other "Maranta;" of course we merely suggest this, not by any means as the best combination, but just to show the idea. It may be varied at pleasure with "Palms," "Calla Lilly," etc., etc. We cannot help thinking that this style of window gardening would give satisfaction and pleasure, even after something else has been tried and found wanting.

Everlasting Flowers and Grasses.

Messrs. Editors American Farmer:

To those who wish to make home beautiful during the winter season, we would suggest that a few packages of seed of the different kinds of everlasting flowers and grasses be obtained and sowed this spring. Of the flowers, we would say this class of plants have become very popular, not only for their bright colors during the summer, but their power of retaining their colors makes them desirable for making up winter bouquets, wreaths and Christmas decorations. They should be cut when they first come in bloom or before the flowers get too old and lose their brightness; tie up in small bundles and dry slowly in the shade, with the flower downward to keep the stem straight. Of the first and best is the *Helichrysum monstrosum*, mixed, growing from two to three feet high; *Helichrysum nanum* in varieties; *Gomphrena* in different varieties, of which the *Aurea superba* takes the lead as being the most showy; *Xeranthemum* in varieties; *Statice* and *Acrolinium* in varieties; and different other varieties which may be obtained from any reliable seedsmen, are easily grown, making the garden cheerful in summer and the house the same in winter, with very little trouble.

Grasses form a beautiful and attractive addition to the flower garden, their graceful forms and attractive green colors give a pleasing relief to the brilliancy of the more showy occupants of the flower borders. For winter bouquets they should be cut before they are too ripe, hung up and dried the same as the everlasting flowers. There are a great many different varieties of grasses. I will mention only a few of the best: *Agrostis*, *Avena sterilis*, *Briza*, *Bromis brizaeformis*, *Erianthus ravenne*, *Eulalia japonica*, *Gyntherium*, *Hordeum jubatum* and *Stipa*.

R. VINCENT.

Baltimore County, Feb. 20th, 1882.

Hardy Herbaceous Plants.

At a recent meeting of the Massachusetts Horticultural Society a discussion upon the subject of "Hardy Herbaceous Plants and Their Culture" brought out the following points:

As it is desired to continue the growth of herbaceous plants through the season, and if we can do this by deep digging, we can get flowers through the season. The object of the plant is to perfect its seed; but we do not cultivate it for its seed, and if we can keep it from perfecting the seed it will bloom all the season. This is the principle on which the practice of cutting of flowers to prolong the bloom rests.

Under the best methods of culture experts insist upon digging deep and manuring well. The object of digging deep is to give room for the roots and provide moisture. Plants are like animals; they cannot be expected to

grow without anything to feed on. Digging deep is the foundation of all good culture. One florist claims he would rather have the ground trenched two feet deep without manure than to have it dug shallow with manure. In England the market gardeners trench the ground every year for almost every crop.

An account of a most satisfactory bed for shrubs and herbaceous plants was given as follows: The soil was trenched and a liberal quantity of well-decomposed manure worked in. In the back part deutzias and Josikea lilacs were planted, and in front of them hydrangeas in groups. The spaces between these were still more enriched, and castor oil beans planted, which gave the border a sub-tropical appearance. In front of these were phloxes, lilies, and still further in front aquilegias and plants of similar growth. The soil was naturally moist, and plenty of water was given, especially to the phloxes. Other beds, prepared in the same way, but where no water could be given, showed a vast difference. Herbaceous plants are interesting from early spring till the frosts of autumn, and, unlike bedding plants, always afford flowers for cutting.

Amongst the most desirable plants are hollyhocks, phloxes, double pyrethrums and spiraeas. The native asters are very beautiful under cultivation. The fraxinellas are old but desirable. The markings of some of the irises are as rich as many of the orchids. A bed of irises and lilies works well edged with hepaticas, or moss and hybrid perpetual roses, and with these may be planted spring flowering bulbs, which will bloom before the roses. Herbaceous plants should have time to rest, and that the buds at the base of the shoots should be well ripened. In too rich a soil the buds will be soft. They need a soil that will hold moisture. It is only since the introduction of the coleus, alternanthera and variegated pelargoniums that bedding has become fashionable. We must rely on herbaceous plants as much as ever if we want flowers early in the season. They are easily raised; two dollars worth of seeds will give a mass of bloom in two years. A little protection is important in winter—a few leaves or some strawy manure will answer; without protection newly planted ones will be apt to be thrown out, though some are so hardy as not to be destroyed then.

Soils of varying character demand different treatment. The great point is to provide a supply of water, which is the life-blood of plants. Water comes both ways—by rain from above and by capillary attraction from below—and by understanding this principle we can judge whether a soil needs trenching. If the soil is loose and gravelly, so as to allow water to come up from the subsoil, it need not be dug deeply; but if clayey and compact, it should be stirred deeply. If the surface is kept loose in dry weather it not only acts as a mulch to the portion below and prevents the escape of its moisture, but if stirred towards night it absorbs the air which gives off its moisture to the soil. If the plant gets plenty of moisture it is easy to supply everything else, but without water you can get nothing.

Kitchen Garden—March.

A year ago at this time we were looking forward to good crops as a consequence of the drouth of 1880, and, as far as early crops were concerned, we were not disappointed. But the drouth of 1881, was so much more severe, that we have now still greater reasons to anticipate a productive season as part compensation for the loss of capital in the shape of fertilizers sunk in the soil. Everything soluble must now be thoroughly dissolved, for we have had abundance of rain, and the land must be in unusually good condition for spring work.

What can we do to mitigate the effects of those ever recurring drouths? Irrigation on our hills, I judge to be impracticable, even if water were plentiful and convenient. If the flats are to be watered, it is plain that the water must be stored in cisterns and applied with hose as is done in the market gardens of Paris. Now it strikes me that if there had been any prospects of making the plan profitable here, it would long since have been attempted at Boston and New York, where competition is at its best, so that the prospect of relief by any process of irrigation is not very encouraging. Deep plowing, abundant manuring, frequent stirring of the surface, and mulching where practicable, must be our main reliance. The turning down of rye or clover as stated in a back number, is also no doubt excellent for retaining moisture. Celery with me cost more in watering than the value of the crop. I hope another year to be able to mulch it, which I think would be a great benefit.

From what I saw the past winter of celery stored in cellar, I think it will prove an excellent plan for this latitude, but it will require to be tried cautiously. Mine was put in the cottage cellar, which could not be kept cool enough. I am now preparing a roofed pit, out-doors, of the rudest kind, large enough to hold the crop. It blanches beautifully without a blemish of any kind. The farmer can now draw a double furrow in July, half fill it with well-rotted manure, level the ground, plant six inches apart, hoe occasionally, mulch and water in drouth, lift in November and set on the table at Christmas. That is the whole process, and many may now have a treat who never indulged before. But observe: not having been earthed up, it will not grow so erect, and may not suit some of our markets, though for private families that is of no consequence. The Boston branching celery makes a handsome appearance blanched in this manner. I am of the opinion that on earthen floors the boxes would be better without bottoms, but I am not certain, and do not want to mislead.

We now commence active out-door work. If calculations have been made ahead, there will be no hurry or confusion. There will be a place for everything in the garden, and everything in its proper place.

If good, fresh onion seed can be had, this crop can, almost to a certainty, be raised to full size the same season, by a timely thinning of the plants in the rows; and this should be one of the first vegetables sown. There will be great emulation to have early vegetables this year on account of the general scarcity. Happy they who have monster heaps of well manipulated manure! We are told that this and that crop will run to vines if too highly manured. I have no recollection of such a thing just at this moment. There is more danger of that by a failure to give the plants room to grow.

In planting early potatoes try flat culture. I have got so used to hill and drill culture, that I quite forgot that flat culture is the culture that is practised where I was brought up, and wherein some cottage gardens potatoes have been successfully cultivated on the same plot for fifty years in succession. The ground is manured, spaded and the seed dibbled in. Of course I do not favor such methods here, but flat culture ought to be even better adapted to our dry climate.

Early spinach, peas, onion sets, turnips and radish are articles that should go in as soon as the ground is dry enough to work. Also small fruits of all kinds. I propose to plant my strawberries three feet between rows, and a foot apart in the row; after first fruiting, every second plant to be thrown away; runners to be kept off. In small gardens the rows should be much closer.

It would be advisable to grow certain kinds of flowers exclusively in the kitchen garden. What more unsightly than a bed of monthly roses with the buds nipped off as fast as

they appear? The flower beds should be filled with plants that would bloom undisturbed, and "cut flowers" taken from a less convenient place.

The hot-beds and cold frames will now claim much time and care. It is difficult to give directions, but it is safe to say they should be fully occupied with something until the weather becomes so warm that they can no longer be managed. Try to grow tomatoes in various ways, and note the results. It was a new and valuable fact to me as stated by Mr. Massey, that lettuce can be successfully grown in winter with no covering but the sash.

JOHN WATSON.

Fall Gardening—Advancing Spring Crops.

Messrs. Editors American Farmer:

My last summer's work was for a time entirely suspended, due to the financial embarrassment of Mount St. Mary's College, and for this reason I am unable to give the promised report of our celery crop, grown after both plans so often discussed in the columns of THE FARMER, or, in fact, of any garden crop except that one ever ready to succeed when labor is withheld, I mean weeds; and as most of us have had bitter enough experience with these, I will only say that when the College resumed operations it became our first labor to eradicate them; and the hay wagons preceded by the mower, were followed by the manure carts, succeeded by the plows, and soon our garden was again ready to grow something useful, and that in time for fall cropping.

Now, as there is nothing to report of last year's gardening at this place, I thought it might interest some of your readers to learn how we progressed with our fall work, and as I do not propose to enter into full details of all our operations, little space will be required for the statement. Of course we sowed kale and spinach, cabbage and lettuce seed for plants to winter in cold frames, and some to plant in the open ground; also a small quantity of cauliflower, for we prefer to sow this in January in greenhouse or hot-bed, and here we might have stopped, but thinking early potatoes and peas would be a welcome dish as soon as it was possible to have them, we concluded to start in time, and accordingly planted a quarter of an acre to early rose potatoes, and in this way: the land was manured, plowed and harrowed; the rows were made three feet apart, and six inches deep by harrowing a barshare plow twice in each; the tubers were cut to two and three eyes, dried in plaster, and then dropped at intervals of about fifteen inches in the row, the covering being done with a corn fork, minus the third shovel; this covering did not nearly fill the furrow, and when there was danger of the ground freezing, we again had recourse to the barshare plow, this time running up and down each side of the potato rows, throwing the soil into ridges over them, thus leaving the ground as if it had been prepared for sweet potato plants. The planting was done about the middle of November.

Now as soon as the soil becomes dry enough to work in spring, we propose to run the harrow over this patch, and during the growing season, endeavor to keep it clear of weeds without throwing any earth to the plants, if there are any; however, we have reason to believe they will put in a timely appearance in the spring, for about the close of December we searched out a dozen tubers which then showed healthy sprouts about an inch long.

In regard to the peas: Having a generous supply of seed on hand, we concluded to take the chances of losing sufficient to sow a quarter of an acre, and in pursuance of this perhaps unwise choice, about the last of November sowed "Carter's first crop" in rows, five inches deep, and three feet apart; of course we calculated the winter to set in,

and that these peas, if they did not rot in the ground, would gladden our eyes by the appearance of their green tops just about the time of sowing peas in the spring; judge then of our surprise when in passing one day late in December, to find that the two hundred foot long rows could be distinctly seen with the eye, a line of living green.

In January we were visited by one extremely cold night, the thermometer indicating one degree below zero, and followed by heavy snow storms, during which time we did not get to see the peas, but felt tolerably certain that the one cold night had blighted that living green line as surely as it had destroyed our hope of having very early peas. However, after looking at the patch to-day, we find there is a goodly quantity of the plants remaining, a decisive proof that peas will endure thirty-one degrees of frost.

I forgot to mention the onion crop which we invariably put out in the fall; last September we planted nearly half an acre with sets; but I will have more to say of this crop another time. The cabbage worm has kept us busy all winter trying to keep it off our cold-frame plants, and a half dozen were found upon our greenhouse lettuce. Our lettuce has done wonderfully well, the College tables having been constantly supplied from the first of November, and the hot-bed lettuce is rapidly coming on.


CHAS. E. SANFORD,

Gardener Mt. St. Mary's College.

Frederick Co., Md.

A Clod Crusher.

Take two pieces of wood, two by six or eight, and round the end of each with your ax; nail boards six feet long and 1½ or 2 inches thick on the bottom, in such a way as appears in the cut, bevelled and lapped.



Bore two holes at the head with a half-inch bit; take eight feet same sized rope and tie a loop in the middle; put ends through holes and tie a knot in each to keep it there. Once going over with the driver on the crusher will be sufficient in most cases and the land will be finer than you could harrow it in many workings.


Good Practice in Garden Management.

Every farmer has noticed how the hens will pick and eat the green wheat plant through the winter when a field is sown near the barn, where the poultry can get at it readily; and another thing he has seen is, that when for any reason a field that was sown to wheat had to be ploughed up for planting ground, it was unusually mellow, friable and free from weeds. Acting on these suggestions, I have for years made a practice of planting, say one-half of the garden with all those plants, such as early corn, potatoes, peas, and the like that ripen early, so the ground could be cleared off and sown to rye, or oats or wheat, either or all as one chooses, sowed from the middle of August to the 1st of October, only the earlier the better. This will make a dense growth, keep the ground light and clean, and in the spring, leaving it to plant the latest, will give a good growth to plough under as green manuring, which gives a clean piece of ground and very easily worked, for the other half of the garden; while the other half is managed as that was the year before, thus rotating with a two years' course, and so after renewing the land with such a green crop ploughed in, the sowing of this can be done just after cultivating

or dunging without the use of the plow, and is an excellent thing for garden management; besides, as it is always near where the poultry can get at it, I find they will pick and eat this green growth all winter and spring, when not entirely covered with snow; and I do not know of anything that is such an advantage to them as winter food, and causes them to lay so freely.—Cor. Toronto Globe.

A Non-Sagging Gate.

Large, or farm gates are liable to sag, and in a few years need a thorough repairing and straightening up. Many of this class of gates are hinged to a building or tree, and can be rendered non-sagging by a simple contrivance as shown in the accompanying cut. The



gate is shown hinged to a barn, about five feet from the upper hinge is driven or otherwise firmly secured to a post, a staple P, one is also driven in the upper side of the gate arm, three or more feet from the latch end. These are connected together by an iron rod K, three eighths of an inch thick. The staple attached to the building should be exactly in range with the hinges of the gate. This arrangement costs but a trifle, and if properly attached, the gate will never sag perceptibly. The plan of bracing the gate shown, is also a good one.

Tomatoes for Canning.

A subscriber in Calvert county, Md., F. O. C., inquires what is the best variety of tomato for canning, where seed may be had, and best time to sow it, etc.

The variety now most preferred by packers is the Queen. It is more solid than most others, ripens nicely all over, is of good size, almost as large as the Trophy, and regular in shape. It is a good producer, but rather late. The seed can be had from dealers in Baltimore. If an early crop is desired the seed should be sown in hot-beds at once; if for a crop in August, sow in open ground early in May. Though even for late crops it is preferable to sow in sheltered spots, or even under glass late in April, as the variety named is tardy in coming into fruit. A number of articles have recently appeared in our paper on tomato culture.

GAS TAR FOR POTATO BUGS.—A correspondent of the *Husbandman* has used during two years past, water impregnated with gas tar for the purpose of destroying the Colorado beetle on potato vines. It has proved more effective than Paris green, and has been used with equal effect on currant bushes. Two quarts of gas tar to a pailful of water are the proportions used, and the vines or bushes are sprinkled by means of a watering pot.

ONE of the best agents to assist us in the endeavor to prevent our soils baking is lime. Lime not only makes sandy soil heavier, but lightens heavy soil. It exerts an influence chemically that does much to overcome this difficulty. It causes certain changes to occur by forcing into existence new compounds, and its effects are lasting.

The Grange.**Education in the Grange.**

An Address before Montgomery County Grange by W. H. FARQUHAR, Lecturer.

I received a letter last week cordially inviting me to become a member of the American Agricultural Society, which holds its annual meeting in New York city early in February next. No doubt several of you have received from the same source the letter and accompanying documents in which we are informed that "the Journal" is by all odds the most useful agricultural journal in the world. This is large talk; but I think no one can read all the papers which set forth the claims of the Association without being satisfied that it has something solid to go upon—is indeed a high-toned affair. Many of the names of members—as Horatio Seymour, Clarkson N. Potter, etc., etc.—carry weight with them. And the high honors bestowed by these high folks—I might say lavished—on the farming community to which we belong seems to indicate that we are really getting to be acknowledged as occupying a position of considerable importance in the world.

I make one more quotation from the papers before me: "The American Agricultural Association is intended to furnish to the great agricultural interests of this country those advantages of organization and intelligent combination in action which, under more paternal systems than our own, are furnished directly by the Government." We all had thought this was just what the Granges were doing, or trying to do. Elsewhere, indeed everywhere, we have noticed of late, the evidences of increased respect being paid to the great business which is ours; evidence that farmers are stirring themselves and making a noise in the world. Even down in our little community of Olney and Sandy Spring—not that we are noted for thinking ourselves so very small—within the last two weeks, down in our modest country there has been two distinct demonstrations of the live interest felt in agricultural concerns. The one was a session of the monthly Olney Grange, rendered more than usually interesting by the presence and address of Worthy Master H. O. Devries; the other was what calls itself The Farmers' Convention. Both have one common object, "the improvement of agriculture," with some differences in the mode pursued. My observations made in witnessing the proceedings of these two interesting meetings produced reflections the expression of which may be appropriate to the duties assigned me as a Lecturer of the County Grange.

At Olney we had a large assemblage, 95 members counted, and several outsiders admitted, very properly, to hear Bro. Devries. His address was very good, in the judgment of all that I have heard speak of it. It was solid—went right down to the centre and foundation of our system. It made us all, or at least a number of us, feel some doubts whether we grangers have been doing our full duty of late. While speaking in rather complimentary terms of Olney Grange, in a general way, he did not hesitate to imply that we might lift the standard of the Order higher than we have done yet; and we liked him the better for his candor.

One of the strong points which he made was in reference to the Farmers' Convention that had appointed to meet two days afterward. Of course he did not say a word to depreciate the coming meeting. He was very willing to admit that all such meetings must be of good; but why, he asked with much force, why don't they all join the body of The Patrons of Husbandry? What is it that keeps them separate? The Grange has the same great object in view, with certain advantages added that cannot fail to attend organization and intelligent combination, as

the New York paper expressed it. The truth is, the Farmers' Convention is a Grange minus a great many other good things besides a meeting. I would express the difference this way: "the object of one is to improve the farms and farming; of the other, to improve them and the farmer too," which is surely a very great addition. I have not a word to say against the late convention held at Sandy Spring; it was a collection of 180 men of the sort it does a farmer good just to look at; the proceedings were interesting, and the views and opinions expressed in a way to afford continual gratification, and not infrequently a jolly laugh through the whole assembly. Still, in comparing this farmers' meeting with the one so recently held at Olney, I could not help perceiving that some important feature was missing. Where was that section of the human race which has been so lively an aid to all our Grange meetings? No ladies at the convention? Yes, oh yes; the indispensable sisterhood was not very far off; and when we got hungry enough to want our dinner we found the blessed ones had not forgotten us, but had provided an abundant and most welcome feast; and we did them the honor, or, I should say, we paid them the respect, of allowing them to wait on us.

The sisters of the Grange wait on us too, but they also enjoy the opportunity of seeing and hearing what is going on, and joining in it to the common benefit. There is where we rise above all other associations. We aim to improve the farm and the farmer too. Knowing this great advantage, Bro. Devries was justified in putting the question with all his force: "Why, oh why, don't all intelligent farmers join our Order?" Who shall answer? I do not think any person can give a good reason. The Grange is to other farmers' associations as the steam thrasher is to any of the old methods of getting out grain; but mind, also, the steam thrasher is weak without the fuel to raise the steam. So is the Grange with only a few members. Once let all the men, such as attended the Sandy Spring convention, add their intelligence and number to our Order, and there will be fuel enough and steam enough to—I won't say *thresh* all the rest of the world—but to put some things down that ought to be down, and raise some that ought to be up.

Bro. Devries spoke of another very important matter, and gave some interesting information regarding the late meeting of the National Grange. He told us that the principal suggestion made there for the good of the Order was something to this effect: "We have relied too exclusively, they say, upon one foundation principle, viz: co-operation. That is much, is indispensable, but there is something of still more consequence. It is clear that if we place the welfare of the farmer above—as it should be—the improvement of the farm alone, we must regard education as the most important duty assigned to us." And we are told that the National Grange confessed that one great cause of the Order falling to increase as it ought to have done is neglect of putting first that which ought to be first in all plans or systems designed for the improvement of the human race. This information, as to the doctrine laid down by our highest tribunal, impressed me as something grand, and up with our professions and with the times. But what can we do about it? This County Grange cannot be accused of neglecting the subject of education. Indeed, I am afraid it must be confessed our worthy members of both sexes have got a little tired of it, and that is not very surprising.

I am free to declare, without apprehension of being charged with assumption or presumption, that the business of education, though most important, is the most mismanaged business in the world. There is money enough laid out in it, but the mode of using it makes it almost a failure. I will

refer to but one point to illustrate my meaning.

If you will reflect for a moment you will admit the chief object of literary (that is, school) education is to teach children how to read, because it is by reading, the knowledge of grown people is transferred to the mind of the child. If such transfer is not made there is no reading done. But it will be asked: Is not every child taught to read? I answer, not by a great many. He is taught how to read; but that is a very different thing from being taught to read. I mean this: For want of proper books and proper system a majority of children, according to my best observation, after learning school lessons don't really read the books or papers which would constantly pour a flood of intelligence into their minds. The one great cause of this is, they were disgusted with school lessons. I expect these assertions will shock many of you, but with wide opportunity to know something about it, I must say it is true, and there has got to be a great reform in the whole concern.

BALTIMORE COUNTY GRANGE will hold its regular quarterly meeting on March 29th, at the hall of Garrison Forest Grange, at Pikeville. A number of addresses will be delivered and subjects of general interest discussed. Fourth degree members, as well as delegates, are invited to attend.

AGRICULTURE IN THE SOUTH.**Its Needs and Opportunities.**

By TH. POLLARD,

Ex-Commissioner of Agriculture of Virginia.

We premise that we are writing more particularly for Virginia and Maryland, and somewhat for the more northern of Southern States; not for the extreme South. Though much of what we have to say may apply to many of the States North and South.

The subject of "grasses" we were discussing in our last is one of extensive applicability. Very few are aware of the amount of the grasses and hay produced in the United States. The hay crop is estimated at not less than three hundred millions of dollars in value annually. Cotton and tobacco, tea and rice are confined to localities, while hay is produced, more or less, the world over. But cured grasses (hay) is but a portion of the grass crop, a great amount being fed off in pasturage. The live stock in the United States is very numerous (we have not yet received the summing up of the census of 1880), and all this is supported by the hay and grasses, of which no account is taken in the markets. We should say all the stock except hogs, but are our readers aware that hogs will eat hay, particularly clover, if soaked in warm water, in the winter months? Such is the fact, and Northern farmers not unfrequently thus feed their hogs. Prof. Armsby in his scientific work on "The Feeding of Cattle" very naively says, hogs will not eat it as well as they will clover and some of the grasses.

Mr. Edwin Atkinson, of Boston, the great statistician and expounder of railroad economies, speaking of the cheap production of grain, and probably of tobacco, in the Western States, says, this is to be no disadvantage to the East, and thus far has only been an advantage, by furnishing to the Eastern States cheap supplies for their families and laborers and inducing them to go into more profitable industries, as grass, stock, dairying, fruits, etc. He says, the lands particularly of Massachusetts and New York have enhanced in value under these influences, and that these States are substituting grass, stock, dairying, and in a measure, fruits, for grain production, and to their manifest advantage.

Virginia, Maryland, and the more northern of the Southern States, must do likewise.

By Western grain and pork they may feed their laborers more cheaply, and employ that labor more profitably, furnished as they are with ready markets for stock, hay, dairy products, grapes and wine, for which latter Virginia is particularly favorable. We are already making better clarets, as a rule, than do the French; of this we shall have more to say hereafter.

Hay being a bulky article, the West cannot drive from the markets the Eastern hay; and so of stock, which we can compete with the West in raising, on account of the cost of transportation and injury inflicted on the appearance, condition, and sometimes on the health of the animals transported.

From many points in Virginia and Maryland lands can be placed in the New York markets in 24 hours or less. Our lands in most of Virginia and much of the South are depressed in price, and do not bring as much in market as before the war, and they will continue to be low as long as we attempt to compete with the West in grain and shipping tobacco. But our lands were low in middle and tide-water Virginia before the war, and that depression in price, let it be noted, has occurred in lands devoted to tobacco and grains exclusively, all of which require a large amount of labor. In Piedmont and the valley, where grasses and stock raising, and a mixed husbandry are prominent, lands bear an excellent price, and such is the history of the price of lands the world over. A farmer in eastern Virginia owning a farm of five hundred or a thousand acres is generally a poor man. He cannot usually sell it for more than \$10 per acre, and then it must have tolerable improvements. If we look to the Northern States we find much of such land selling for \$100 to \$200 per acre, and in England and France, or Belgium, or Holland, it would command \$400 to \$500 per acre. What is the cause of this great difference? Our climate is better than theirs, our land not naturally inferior, and theirs only made better by grass, sheep, and general stock raising and better management. The prices of their products are not better than ours, and generally not so good on an average. Their taxes are heavier than ours, and in Europe greatly more so, if we include the rent of lands, which almost every actual farmer has to pay. The range of practicable products is much less in Europe, and even less in the North than ours, for we can raise everything in Virginia and the Middle States that can be raised anywhere in the temperate zone. Our labor is scarcely more than half the cost of that of our Northern States, and while that in Great Britain is cheaper than ours, the difference is fully made up by the church and poor rates, and other burdens borne by the laborer of England. If all these things are in our favor, why is it that their lands are so much more valuable than ours? It is accounted for by facts connected with the subject we are considering. In this country and in Europe land sells highest where grasses and hay are produced. In England and Holland the best grass lands command as much as \$1,000 per acre. Holland, which it has been my good fortune to see, is almost one continuous plateau of meadow land, pastured on by fat cattle, which are kept within the owners' bounds by canals of water, broad enough and deep enough to prevent their passage. Few laborers are seen, and scarcely any needed, but to drive their cattle forth from their stalls in the morning and back in the evening. In Belgium, one of the most profitable agricultural States in Europe, much land is devoted to grass and cattle, and on a farm of 100 acres in grass their steady force is not more than two hands, extra force of course being required during grain and hay harvests, the former of which is an important crop in this country as well as the latter. We remember seeing on the field of Waterloo a magnificent crop of wheat, gracefully waving in the gentle breezes, with

The American Farmer

"O FORTUNATUS NIMIUM SUI SI BONA NORINT
"AGRICOLAS." Virg.

PUBLISHED ON THE 1ST AND 15TH OF
EVERY MONTH.

By **SAMUEL SANDS AND SON,**
At No. 128 West Baltimore Street,
(Sign of the Golden Plow.)
BALTIMORE, MD.

WILLIAM B. SANDS, Proprietor.
SAMUEL SANDS, } Editors and Publishers.
WM. B. SANDS, }

SUBSCRIPTION:
\$1.50 a year, in advance. Clubs of five or more
will be supplied at \$1 each.

ADVERTISING RATES:

	1 Time.	1 Mo.	2 Mo.	3 Mo.	6 Mo.	12 Mo.
1 Inch	\$1.25	\$2.50	\$4.00	\$5.50	\$9.00	\$15.00
12 lines						

Liberal reductions will be made on larger ad-
vertisements. Advertisements to remain on
outside page subject to special contract. Tran-
sient Advertisements payable in advance—all
others quarterly. Advertisements should reach
us by the 12th and 27th of the month, to secure
insertion in the succeeding issue.

At the office of THE AMERICAN FARMER
are located the offices of the following organiza-
tions, of each of which its proprietor, Wm. B.
Sands, is secretary:

Maryland Horticultural Society.
Maryland Dairymen's Association.
Maryland State Grange, P. of H.
Agricultural Society of Baltimore Co.
Also, of the **Maryland Poultry Club,**
Geo. O. Brown, Secretary.

BALTIMORE, MARCH 1, 1882.

Our friends will notice, we think, with ap-
proval, that the neat appearance of THE
FARMER is still further enhanced by the
stitching and trimming of this number,
whilst its contents keep up, at least, in in-
terest and value with previous issues. We
hope our present subscribers will not relax
their kind exertions to still further enlarge
its circulation. Those who have already
forwarded lists can increase them at any time
by remitting the club rate for the additional
names. Those who have not yet done so
will oblige us by forwarding as promptly as
may be convenient their renewals. Our
PREMIUM OFFERS are still open, and we
shall be glad to have them widely availed
of by such persons as are willing to do some
work in the interest of THE FARMER.

TO THE FRIENDS OF "THE FARMER" IN
VIRGINIA.—Dr. Pollard is fully authorized
to act for the publishers of THE AMERICAN
FARMER in all matters pertaining to sub-
scriptions, advertisements, etc., in the State
of Virginia, and parties to whom it will be
more convenient, are advised to correspond
with him.

The Prize Essays.

These are being examined by the gentle-
man who kindly undertook, at our request,
to pass upon their merits; but as the judges
are widely separated it has required rather
more time to make the final awards than we
at first anticipated would be necessary. We
expect, however, to be able to announce in
our next issue the names of the successful
competitors, as well as those of the members
of the several examining committees. From
the comments made by those who have read
the papers submitted to their judgment, we
take it that a treat is in store for our readers
in the very instructive, practical and well
written essays, which have been prepared in
compliance with with our invitation for the
columns of THE AMERICAN FARMER.

Our edition of January 1st is exhausted,
and we are compelled to commence
all new subscriptions with later issues. Par-
ties remitting will therefore oblige us by de-
signating with what number their subscrip-
tions shall begin.

The Agricultural College.

A correspondent of the Belair *Express* urges
the Deer Creek Farmers' Club, which is, as
our readers know, one of the most intelli-
gent in our State, to use its influence with
the delegation from Harford county in the
Legislature to induce them to vote for a res-
toration of the withdrawn appropriation to
the Agricultural College, with a provision
that there shall be there established an ex-
periment station, such as exists in Connecti-
cut at the University at Middletown.

For the club to take such action would be
no less than a public misfortune! It cannot
afford to do it. Its reputation ought not to
be lowered, at the instance of the writer of
the article in question (doubtless an inter-
ested party), to bolster up an institution
so wanting in reputation. It would put
itself entirely out of line with the other
farmers' associations of the State. Of these,
NOT ONE has up to this day uttered a word
favorable to this badly managed public con-
cern. On the other hand, farmers' clubs,
granges, conventions, have emphatically con-
demned its inefficiency and departure from
the objects of its creation.

The proposition to annex to the proposed
renewal of the State's subsidy the condition
named is an absurdity. The far-sighted
founders of the college, ahead of their day,
made provision in the charter for what would
have been the first of American agricultural
experiment stations. After providing that a
Model Farm should be established in connec-
tion with the college, the law requires the
trustees "to order and direct to be made,
ANNUALLY, a series of experiments upon
the cultivation of cereal and other plants
adapted to the climate of the State of Mary-
land, and cause to be carefully noticed upon
the records of said institution the character
of said experiments, the system of cultiva-
tion adopted, the state of the atmosphere, and
all other particulars which may be necessary
to a fair and complete understanding of the
result of said experiments," etc., etc.

And it was a patriotic and public-spirited
citizen of Harford who, in commending to
his fellow citizens the scheme of an agricul-
tural college, which he had so much at heart,
as promising "to produce a corps of enlight-
ened, well-disciplined and eminently practical
farmers," included among its main features the
opportunity its pupils would have "of wit-
nessing important scientific experiments."

When have they had this opportunity?
When has the law not been utterly and wil-
fully disregarded? Is any law better execu-
ted by being repeated on the statute books?
Can the trustees be relied upon to carry
out such a provision now, when they have so
long neglected the expressed requirements of
the charter? Would such a proviso have
more force now than two years ago, when,
on the plea and understanding that the col-
lege was to be prepared for conversion into
an experiment station, it received for one ad-
ditional year its appropriation, previously
struck out by a vote so decisive as to be
practically without dissent? Can the trust-
ees give capacity, energy and experience to
a government which has proved itself, over
and over again, inefficient, inert and ignorant
of the proper aims and purposes of the col-
lege, and which, when visited by a committee
of the Legislature, appeared mainly zealous
that the appropriations should be restored
because they are claimed to be "expressly
designed to pay salaries to teachers?"

Yet the Deer Creek Club—a body of truly
"enlightened, well-disciplined and eminent-
ly practical farmers"—is asked to intercede
in behalf of an institution which does nothing,
and is without the capacity to do anything, to
replenish the ranks of such farmers; an in-
stitution whose head was described by one of
his own associates in the faculty as "by pro-
fession a sailor, not a scholar"—"all the
bent of whose mind is to 'navigation,'" and
who, though he gives as a reason why the

State should again come to its support that
it has "not been painted since 1850," that
it needs repairs inside and out; and, unless
the State comes again, to its aid, must fall
into decay, ignores the fact that, for most
of that time it has had an expenditure made
upon it, as was some time ago pointed out
by Mr. J. Howard McHenry, of \$20,000 a
year; and which, in all, has already cost the
State of Maryland more than a quarter mil-
lion of dollars; and given in return for it—
what? Who can say what it ever has given
the farmers of Maryland?

The mere suggestion, two years ago, of
connecting with the college the experiment
station, so much needed, killed the popular
movement for such a desirable establish-
ment, and there is certainly to-day, no intel-
ligent disinterested farmer in the State,
knowing the real situation, who would wish
to see any connection between the two in-
stitutions.

The college has now some thirty pupils,
representing in all eight counties of the
State, and mostly from the cities of Wash-
ington and Baltimore. (A few years ago
nineteen counties were unrepresented.) It
still receives \$7,000 a year from the State,
yet will soon become moribund if the Leg-
islature does not hasten once more to its relief.
It is not an agricultural institution; it does
no good office for agriculture. Education-
ally, it deserves only contempt. Yet with
this status, with this record, it calls upon the
farmers of the State, whom it has deceived,
to whom it has so often betrayed its promises
of reform, to stand between it and threaten-
ing, and deserved, dissolution.

To the members of Deer Creek Club, we
commend rather the action reported else-
where of the Gunpowder Club, which com-
prises in its membership stockholders, former
pupils and the fathers of pupils who have
been at the college and know its character
and works!

The Farmers and the Agricultural College.

The Gunpowder Farmers' Club at its last
meeting, adopted the following preamble and
resolution:

"It having come to the knowledge of this
Club, that efforts are being made by the
officials of the Agricultural College to have
restored to that institution, the State approp-
riation heretofore withdrawn at the instance
of this and other farmers' organizations, we
Resolved, That Gunpowder Agricultural
Club requests the delegation from this county
in the Legislature, to oppose and vote against
any such expenditure of the taxpayers'
money to an institution, which has long
proved its inefficiency to advance in any di-
rection the agricultural interest of the State."

COL. THOMAS M. HOLT, whose letter testi-
fying to the merits of the Champion Mowers
and Reapers is to be found elsewhere in this
issue, is the President of the North Carolina
State Agricultural Society, a gentleman in
whom every confidence may be placed, and
long a friend and subscriber of THE AMER-
ICAN FARMER.

MESSRS. G. S. Watts and T. Alex. Seth
have formed a co-partnership for breeding
and selling Jersey cattle, and will jointly
conduct the business at Windsor Farm, Bal-
timore county.

A subscriber in Southern Maryland writes:
"We are glad to have THE AMERICAN
FARMER with us, (I say we, because my wife
enjoys the paper as much as I do), twice a
month, and would be glad to welcome it
weekly. I only wish I had the time to help
quadruple the number of your subscribers."
P. H. T.

P. R. Prince George's Co., Md., says: "I
think every farmer will hail with delight its
publication twice a month. I cannot afford
to do without it in my family. It ought to
be in every family in the State."

everything around quiet and oblivious of the
mighty and eventful storm of battle which
once swept its plain, and decided the destiny
of nations. In Holland very little grain is
raised, and consequently the cost of labor is
small.

Extensive grass culture in a country is a
sure evidence of improved agriculture, and
where grass is extensively raised we find a
large number of sheep, cattle, horses and
hogs, and these consequently produce a large
quantity of manure, and where this is abun-
dant there will be large crops of hay and grain,
and the lands necessarily become valuable
and increase in value. Beside the manure
made from stock we must take into consid-
eration the great improvement produced on
land by turning under good sods of grass and
clover, for this is equal in value to a full ap-
plication of putrescent manures or com-
mercial fertilizers. Mr. Howard, in his
"Manual on the Cultivation of Grasses,"
before referred to, gives us an illustration of
the improvement produced by turning under
sod lands, and also of the profits of grazing.
In the case to which reference is made Ber-
muda grass was used. Col. Lane in a letter
to Mr. Howard says, "nearly thirty years ago
I bought an old plantation near my place in
Hancock, Georgia; it was bought low be-
cause infested with Bermuda grass (the same
as our wire grass in Virginia). I permitted
a man to use thirty acres, which were fully
set in this grass. He had at the time a cow
and calf, sow and pigs, and a brood mare.
He cultivated a little crop of corn, but never
enough to feed his family. His stock lived
on this thirty acres of Bermuda grass, except
for a short time during the winter, when
they had access to other portions of the plan-
tation. He remained on this place five or six
years, and at the end of that time he had
twenty-five head of cattle, seventy-five hogs
and five horses. I offered him \$1,000 for his
increase in stock, which he refused. So
much for the value of Bermuda grass (and
our wire grass, *Cynodon Dactylon*). I cannot
give you a better illustration of the manurial
value of this grass than by reference to the
crops made on this land (this same thirty
acres) after the man had left the place.

First crop, cotton, half stand, owing to the
mass of undecomposed sod, 1,800 lbs. of seed
cotton per acre. Second crop, 2,800 lbs. of
seed cotton per acre. Third crop, corn, 65
bushels per acre—corn manured with cotton
seed. Fourth crop, wheat, 43 bushels per
acre. The average product of this land with-
out the sod would not have been more than
1,000 lbs. seed cotton, 15 to 20 bushels corn,
and 8 to 10 bushels wheat per acre."

This is a very remarkable increase in the pro-
duction of land, due almost entirely to grass.
When in corn, cotton seed were applied,
which seems to have been all the artificial
aid the land had.

SUITABILITY OF VIRGINIA FOR GRASSES AND FORAGE PLANTS.

Let it be kept in mind, as before stated,
that we are speaking in this connection for
Maryland as well as for Virginia, and some
of the more northern of the Southern States.
Some portions of Virginia are of course bet-
ter suited than others for the grasses. The
Riedmont, Valley and Mountain regions are
par excellence the grass regions of the State,
and there is no section of the United States
where the grasses are more productive when
properly cultivated and managed. But in
all portions of Virginia the grasses do well,
unless on a few of the most sandy lands; and
forage plants, particularly fodder-corn, rye,
sorghum, field peas, and lucerne, succeed,
unless the latter, which will not do so well
in the colder portions of the State. To these
may be added "prickly comfrey," with which
we have had some experience, and are dis-
posed to think very favorably of it if culti-
vated on a small area, with very rich land.
Hogs and cows after a little education with
it eat it freely.

Home Department.

The Small Influences of Life.

Many of the influences of life tend to depress and dishearten us, but a thousand words of cheer may softly be spoken for one word of caution or discouragement. We all know that the better life is one of perpetual growth, and that the best growth, whether it be in the plant or the planter, progresses slowly but surely. If we seem to turn over the same old leaf, from year to year, perhaps by imperceptible degrees, we are growing wiser and better by that slight effort alone.

So few of us can ever hope to do great deeds, but all can do little things well if we choose.

The most perfect life I ever knew was that of a woman who did not despise the doing of small things, self-supporting in early life; she knew, as every woman should know, the difficulty of earning money, and the great value of independence. Whatever her hands found to do, she did with a thoroughness that insured success; she practiced always the strictest economy in the least as well as the greater things, and saved hundreds that she might bestow thousands. Her fine intellect never betrayed her, and she was as serene in addressing a large audience as she was in her own parlor; the champion of the oppressed and needy; the helper in all good works; the mother of a large family; the centre and fountain-head of an immense circle of friends; her very presence was a benediction, and when she passed to rest she left behind the memory of a life complete in all respects; she never wasted a moment, and she gave to her work, whatever it might be, the very best and highest service she was capable of.

Let us then resolve to "look out and not in;" out on all humanity and its needs, not in our own selfish hearts and pleasures; let us look up to all that is high and noble, and not down on what is useless and unprofitable; let us look forward and not backward; no effort can mend the past, but many possibilities lie in the future; and above all let us "lend a helping hand."

The Chinese have a proverb, "Make happy those who are near, and those who are far will come."

It behooves us then to be as cheerful and happy and busy as possible, and since life is all too short at the very best, to accomplish much we cannot afford to waste a single hour, much less the little moments.

Little moments, how they fly,

Golden winged, fitting by—

Bearing many things for me

Into lost eternity.

Never do they wait or ask

If completed is my task!

Whether gathering grain or weeds,

Doing good or evil deeds—

Onward haste they overmore;

Adding all unto their store;

And the little moments keep

Record if we wake or sleep,

Of our every thought or deed,

For us all sometime to read;

If we smile, or if we frown,

Little moments put it down,

And the Angel Memory

Sounds the whole eternity.

Let us, then, so careful be

That they bear for you and me,

On their little noiseless wings,

Only good and pleasant things,

So the Angel Memory

May not blush for you and me."

Olney Grange.

E. N. B.


A PERSON is not worth anything who has not had troubles. You cannot subdue selfishness without a struggle. You cannot restrain pride without a conflict. You cannot go through life without bearing burdens. But you are going to have help, under the circumstances, that will redeem you from these things. You are going to experience more victories than defeats. Your suffering will be only here and there little spots in a whole field of peace and joy.

A Neat One-Story Cottage.

Design 19



Perspective View.
J. B. Legg & Co.—
—ARCHTS—



tute the library room or parlor, thus allowing two nice bed-rooms. A neat porch in front ornaments and protects the main entrance, and a canopy in the rear shelters the outer kitchen door. The first floor is elevated 8 feet 8 inches above the ground, to secure dryness in the rooms and to give the building the proper proportion in height. The elevation is plain and simple, but the shape and proportions give an easy and graceful appearance to the elevation, and make a neat, cozy little building that will look well on any elevated piece of ground where it stands a respectable distance from taller houses.

A frame building studded sixteen inches from centre, closely sheathed, covered with building paper, and then weather-boarded, makes a cool, pleasant house in warm weather, a warm, comfortable house in cold weather, and a strong, substantial building in stormy weather. For any additional information address J. B. Legg, Architect, St. Louis.

BOSTON FERNERIES.—With but little pains the fancy fern pans, or "Boston ferneries" as they are called by florists, can be filled. These will grow and remain fresh for months if well watered. If the woods are visited on an open winter's day a variety of pretty mosses and ferns may be gathered. A basket should be taken in which to place rock moss, wood moss and swamp moss, which will be found in rock crevices, at the roots of trees and in the swamps. This is used as the foundation for the fernery. At any tin shop a pan half an inch deeper than a round tin pie-pan can be made. In this mix the several kinds of mosses. The prettiest collection to gather is graceful branches of pine, pitcher plants, snake roots, wintergreen, fungus, wood berries, lycopodium, wild cranberries, acorns, pteris, linum and ferns of any kind. Arrange them tastefully in the moss, plunging the roots and stems well into it. The fernery should be soaked with water morning and night. The water should be well drained off by tipping the pan. If these ferneries are placed on the round gilded baskets so popular this season, they make a charming and economical centre-piece for the dinner-table.—Our Continent.

BOXING THE EARS is an inexcusable brutality. Many a child has been made deaf for life by it, because the "drum of the ear" is a membrane, as thin as paper, and stretches like a curtain just inside the external entrance to the ear. There is nothing but air just behind it, and any violent concussion is liable to rend it in two, and the "hearing" is destroyed forever.

HOW TO CLEANSE CASHMERE AND WOOLLEN DRESSES.—Take one-quarter of a pound of white castile soap, four ounces of carbonate of ammonia, two ounces of glycerine, two ounces of chloric ether and two ounces of alcohol. Shave the soap into thin slices, and turn over it one quart of boiling water and let it dissolve over the fire, stirring it rapidly. Add the glycerine and the ammonia when the soap is nearly dissolved. Stir well, add three quarts of cold water, and when quite cold stir in the alcohol; put into a gallon jug and turn in the chloric ether. Shake up the jug, cork tightly, and it will keep good till used up. To cleanse the dresses, put a teacupful of the mixture into three or four quarts of lukewarm water and stir it up; then dip the fabric into it and rub off all the grease and soil. Rinse in strong bluing water to give a good color to black or blue goods, and iron with moderately heated irons while damp. For taking soils out of coat collars, vests, etc., turn some of the mixture into a cup of tepid water and apply with a sponge, then clean, rinse off with cold water and a clean sponge. It will freshen old clothes wonderfully.

RICE MUFFINS.—Sift one pint of flour into a bowl, add a tablespoonful of butter or lard, a teaspoonful of salt, one cup of cold boiled rice, a teaspoonful of baking powder, two eggs well beaten, and sufficient milk to form a batter. Bake on a griddle like buckwheat cakes.

Hygiene.

THE CROUP.—The following is a recipe for this dangerous disease, so apt to affect children at this season. The lady who furnished it says: "I would like to write and tell the sisters how I make valuable croup syrup, with but little expense. I do not know what we should have done many times without it, for our little boy takes cold so easy, and is most always troubled with the croup; but a few doses of the syrup will always relieve him. We give it in small doses to the baby too; when she has a cold with an equally good result. Take lobelia, ginger and cayenne of each one-half drachm, put them in a pitcher with one-half pound of sugar and a pint of boiling water; stir until sugar is dissolved; leave to settle; then add one drachm of the oil of peppermint and one ounce of tincture of myrrh. Bottle when cool; dose, from ten drops to a teaspoonful every half hour until relieved. I hope that every mother who reads this will give it a trial. This dreadful disease comes on so suddenly that unless we have something to stay its progress it would be too late to save our darling; often we would not have time to get a doctor, so it is of great importance that every mother should keep something all prepared, and I know of nothing better than this syrup."

TWO CHEAP MEDICINES.—One of the cheapest medicines that mortal can use is sleep. It is a sovereign remedy for weakness; it relieves languor; it cures restlessness, uneasiness and irritability; it will remedy headache and backache; it also cures nervousness. When weary we should rest; when exhausted we should sleep. To resort to stimulants is suicidal; what weary men need is sleep. The lack of sleep causes neuralgia, paralysis and insanity. Many a person dies for want of sleep, and the point where many a sufferer turns his feet from the very gates of death to the open path of life is where he sinks to sleep. Of almost every sick man it may be said, as of Lazarus, "if he sleep, he shall do well."

Another excellent medicine is sunshine. The world requires more of it, morally and physically. It is more soothing than morphine, more potent than poppies. It is good for liver complaint, for neuralgia, for rheumatism, for melancholy—for everything. Make your rooms sunny and cheerful; build your house so as to command the sunlight all day long.

SODA FOR BURNS.—All kinds of burns, including scalds and sun burns, are almost immediately relieved by the application of a solution of bi-carbonate of soda to the burnt surface. It must be remembered that dry soda will not do unless it is surrounded with a cloth moist enough to dissolve it. The method of sprinkling it on and covering with a wet cloth is often the very best. But it is sufficient to wash the wound repeatedly with a strong solution. It would be well to keep a bottle of it always on hand, made so strong that more or less settles on the bottom. This is what is called a saturated solution, and really such a solution as this is formed when the dry soda is sprinkled on and covered with a moistened cloth.

PURE AIR IN BEDROOMS.—A little care in the way of supplying bedrooms with fresh and wholesome air will prevent bilious derangements, headaches, and fevers often. Let the air in at a place where the draft will not pass over the body. Summer air does no injury, but the winter atmosphere, differing only in temperature, may not be safely treated the same way, simply because the temperature of the body in a room is so much higher than that of cold winter air. The point is to get all the fresh air you need to keep the atmosphere of the room pure, but keep out of the draft.

TANNING SKINS.—Shave off with a sharp knife all flesh adhering to the skin, then wash thoroughly with warm water and strong soap both the hair and flesh side of the skin. After being cleansed, stretch the skin tightly upon a board, with the flesh side up, and apply and rub well in a composition of equal parts of common salt and alum. After the composition has been applied, put the skin—still on the board—in a shaded place to dry, and when dry rub with the hand until the surplus composition is removed and the skin is pliable. If it is desired to color the wool the dye should be prepared lukewarm, and the skin dipped into it and colored the desired shade after being cleansed, and before the salt and alum composition is applied.

GRANGE NOTES.

National Lecturer's Communication.

SUBJECTS FOR SUBORDINATE GRANGES FOR MARCH.

Question.—What agricultural organization is of most importance to the farmers?

Suggestions.—Local agricultural organizations have only local value and interest. State organizations have value only to certain ends and in certain directions. National agricultural associations and agricultural congresses may accomplish certain objects in certain ways. But none of these will ever relieve the farmers from bearing burdens of injustice, nor elevate them as a class. The organization of the Patrons of Husbandry is the only organization, through its work in the Grange, that will ever secure justice to the farmers, and elevate them to their rightful position. The Grange is therefore the all-important organization for the farmers, and they must sustain it and stand by its pure principles. Does not the farmer who has forsaken the Grange, and those who have not identified themselves with the Order, demonstrate by their own acts of selfish isolation that they are not capable of self-government? Hence they submit to the yoke of bondage placed upon them by their masters.

Question.—The duty of Patrons?

Suggestions.—The Grange is the only organization which promises any hope of relief to the farmers. Our principles made a success, will relieve the farmers from injustice and depression, secure their rights, the rewards of their own labor, and the profits of investment. It requires all the farmers to accomplish an object so great and noble. Members should labor faithfully to make every Grange a success. Labor with those outside the gates, convince them of error, and secure their affiliation with the Order. Our Grange and our success will be just what we make it.

WOMEN IN THE GRANGE.—Brother S. Adams, of Minnesota, speaking of admission of women to all the rights and privileges of the Grange, says: "We are truly thankful that this Order has been so wisely devised; that her presence among us shall cheer us onward in our duties, and may our strength and integrity be ever her shield from harm and means of support; while her purity, tenderness and delicacy shall grace our Grange gatherings until the word Patron shall be a synonym for intelligence, sociability, refinement, honor, throughout the land."

LOCUST GROVE, No. 173.—A new Grange under this name was organized in Baltimore county, February 8th, by Wm. B. Sands, Secretary Maryland State Grange, and James Pentland, Master of Homeland Grange, with the following officers: M., Richard Vincent, Jr.; O., J. W. Jacobs; Lco, Fred'k Gambrell; St. Jas. T. Milling; Ast. St. Jas. Porter; Ch., Wm. Wilkinson; Tr., Hy. Volz; Sec., Walter Gambrell; G. K., Mercer P. Porter; C., Mrs. Richard Vincent, Jr.; P., Mrs. J. W. Jacobs; F., Mrs. Philip Johnson; L. A. S., Miss Owens.

FAIRLEE, No. 8, KENT COUNTY, has elected the following officers for the ensuing year: M., J. H. Gale; O., J. P. Nicholson; Lco, W. C. Stevens; St., S. W. Brown; Ast. St., J. C. Wheatley; Ch., J. H. Baker; Tr., J. W. Corey; Sec., T. A. Hulme; G. K., J. Lamb; O., Sister L. A. Gale; P., Sister M. A. Rees; F., Sister Ida C. Crew; L. A. S., S. C. Corey.

Live Stock Notes—March.

For the management of the farm stock at this usually changeable season of the year, we have but little to suggest that is new, except that we will need rather more feed and that of better quality than is needed during clear and cold weather.

As the plowing season is now at hand, see that all horses and mules have good collars of suitable size, remembering always that more harm is done by a collar being too large than by using one too small. As the shoulders are more tender after the comparative rest of winter, they will often be made sore by the constant draft in plowing. So that it will be found a good rule to have them washed with strong salt and water after they have been used each day, while they are warm from work. A good washing will tend to make the skin clean and also more tough. Be particular to have the harness fit close, just so as not to press too hard on the shoulders.

When oxen are used they ought not to be compelled to work much in muddy weather, as that will be found to wear their feet out much faster than on hard frozen roads. Often one or two days' work on bad roads will cause the loss of a week or ten days when the time of a team is very important.

Early lambs should be provided with a suitable trough and some corn meal and bran mixed kept in it at all times, so that they can eat often. They will begin to feed some at a few days old, and will be much more apt to get fat early so as to sell while the price is up.

Brood sows should be fed very moderately until the pigs are a week old; after that, all they will eat should be the rule, of such food as will tend to make a good flow of milk. Do not hesitate to either give away or kill some pigs when a sow has more than she can do justice by, remembering always that six or eight good pigs are worth more either to keep or for sale than a greater number of poor, half-starved runts. If one sow has too many and another too few pigs, they can be averaged, if those of the one having few of her own are not over twenty-four hours old at the time the others are added, as they very early learn to keep the same place at the dinner table and will stick to it or starve.

Calves will begin to eat some meal and nice clover hay at two weeks old, and a little should be kept before them at all times.

MARYLAND BERKSHIRES.—Dr. Ellzey, in the *Southern Planter*, says there is no better herd in any country than Mr. A. M. Fulford's, and that his Black Josephine is probably the best Berkshire sow now living.

HAW RIVER, N. C., March 8, 1881.

To whom it may concern:

This is to certify that I have been using the Combined Champion Reaper and Mower for the past ten years, and the Champion Single Reaper for the past three years, and have always found them to perform to my entire satisfaction all that has been claimed for them. I have tried them with other machines, running one after the other in the same field, and have invariably found the Champion to do its work more satisfactory, and at less cost for repairs. Its strength is a very great recommendation to it, especially to farmers remote from the shops. I find the single mower and single reaper to give better satisfaction than the combined machines, for reasons that will be obvious to any one on examination, and I would recommend all farmers to buy a mower as a mower, and a reaper as a reaper; and my experience tells me that the Champion Single Mower and Single Reaper is all that are desired for the purposes for which they were made.

Very respectfully,

THOS. M. HOLZ.

Baltimore Markets—March 1.

Breadstuffs.—Flour.—Dull and heavy, with tendency downward. We quote: Howard Street Super 3.75@4.40; do Extra 4.00@5.00; do Family 5.00@7.00; do Extra 5.00@6.00; do Family 6.00@7.00; City Mills Super 4.00@5.00; do Extra 5.00@6.00; do Rio brand Extra 6.75; Fancy brand Family 5.00; Fine 3.50@3.75; Rye Flour 5.00@5.50; Baltimore Pearl Hominy 5.00; Grain 5.25; Corn Flour 3.00; Corn Meal per 100 lbs. 1.65; Buckwheat Meal per 100 lbs. 1.25.

Wheat.—To-day the market opened rather easy, but improved under a strong and quiet buying demand, and closed firm at the top figures. Only a small lot of Southern wheat arrived, and the market is quiet and firm, with small sales at 1.24, 1.25 and 1.26 cts. for good long berry. Steamer Red at 1.40 cts.; No. 3 red winter 1.21 cts.; No. 2 red winter 1.24 cts.; No. 1 red winter 1.27 cts.; do March at 1.29 cts.; do April at 1.31 cts.; do May at 1.34 cts.; do June 1.36 cts.; do July 1.38 cts.

Corn.—The market to-day was quiet and steady, with moderate offerings and demand both for shipment and for speculation. The inquiry for Southern Corn is more active, and the market is firm, and a shade higher. White sold at 78 cts.; and smaller lots of yellow at 68 cts. A cargo of the latter is held at 60 cts.

Oats.—The offerings are moderate and the market is firm and high. We quote: Western mixed 48; do bright 50; do white 50; Pennsylvania 48@51; Southern 48@51.

Rye.—Quiet and nominal at 95 cts.

Mill Feed.—The demand is brisk and the market is firm at 34 per ton for Western and 32@37 for City Mills.

Clover Seed.—The market is quiet. Good to prime Western is quoted at 84 cts. per pound and common to fair Pennsylvania at 76 cts. per pound. Jobbing lots are quoted at 94 cts. for prime to choice.

Cotton.—Firm and to-day's official quotations are as follows: Middling 11 1/2 cts.; strict Low Middling 11 1/2 cts.; Low Middling 11 cts.; strict Good Ordinary 10 1/2 cts.; Good Ordinary 10 cts.; Ordinary 8 1/2 cts.

Tobacco.—Leaf.—Owing to the small receipts and stock of Maryland in first hands, there continues but little trade. Holders are firm, and the few sales effected are at full quotations: Maryland Inferior 12@13.50; do. sound common 14@15; do. good common 15@16; do. middling 16@17; do. good 18@19; do. fancy 20@21; upper country 22@23; do. ground leaves 24@25; Virginia common and good 26@27; do. to med. leaf 28@29; do. fair to good leaf 30@31; do. selections 32@33; do. stems common to fine 34@35.

Live Stock.—*Of Cattle.*—The run was light, but proved to be quite enough for the demand, which was not active at any time, except at wholesale, when prices were higher than they were last week. Best 36.75@37.50; first quality 35.00@36; medium quality 34.50@35.50; ordinary thin steers, oxen and cows 32@33; most of the sales were from 35 to 36.50 per 100 pounds. *Milk Cows.*—Prices 30@35. Common cows no demand, best in good demand. *Swine.*—The supply is generally reported as ample for the demand which is by no means active, as prices were considered too high for butchers to get their money back. Prices range from 8 1/2@9 1/2 cts. per pound net, a few extra only selling at the latter price. *Sheep.*—For the best sheep the market has been active, with good prices; common which are in comparative full supply, are rather dull. We quote sheep at 4@6 1/2 cts. with few at the latter price, most sales from 4 1/2@6 cts.; Lambs 6@7 cts. per pound gross.

Hay and Straw.—The demand for hay is weak, but straw is in fair demand at steady prices. We quote as follows: Baled Hay—Cecil county Timothy at 18@20; Maryland and Pennsylvania Timothy at 18@19; New York and Western at 14@16 for large and 15@17 for small bales; mixed 13@15, and Clover at 13@15 per ton. Straw—Wheat 10@11, Oat 11@12 and Rye 11@12 per ton for long and 9@10 for short.

Provisions.—In demand and prices are firm. We quote packed lots from store as follows: Bulk shoulders at 7 1/2 cts.; clear rib Sides 10 cts.; Bacon shoulders 8 1/2 cts.; do. clear rib Sides 10 1/2 cts.; Hams 12 1/2@13 1/2 cts.; Refined Lard in tierces 12 1/2 cts.; Mess Pork 18 1/2 per bbl. for new and 18.25 for old. *Dressed Pork.*—Dull at 25 per 100 lbs.

Butter.—We quote 25@30c. for selections and 24@25c. for dairies; choice New York State at 28@40c.; fresh Western, choice, 33@34c.; do. good to prime 28@30c.; Western rolls 29@30c. for good to choice, and 30@28c. for common to fair, and near-by receipts 29@31c. per lb.

Cheese.—We quote New York State choice, at 13 1/2@14c.; good to prime 12 1/2@13c.; Western, good to prime 12@12 1/2c.; choice 13@13 1/2c.

Eggs.—The supply is fair and the market weak. We quote fresh stock at 25@26c. per doz.

Poultry.—Active and firm. We quote Turkeys at 12@16c. and Chickens at 11@12 cts. per lb. undrawn; drawn 10@11c. higher.

Fruit.—Apples—New York, fair to prime, 2 1/2; good to choice 3 1/2 per bbl. Dried Fruits—cherries 17 1/2@18c.; blackberries 12@13c.; bright sliced apples 6@6 1/2 c.; bright quarters 5@5 1/2 c.; fancy peeled peaches 20@22c.; good to prime do. 18@19c.; unpeeled 17@18c.; quarters 6@6 1/2 c. per lb.

Potatoes.—Steady and firm. Burbanks and Early Rose quoted at \$1.30@1.35 per bushel Seed Potatoes \$1.25@1.35.

Onions.—We quote Yellow at \$2.50@2.75; Red \$2.50@2.75 per bbl.; good to prime Yellow in bulk \$1.00@1.10 per bushel.

Warner's Safe Kidney and Liver Cure.

It was Immediate and Constant.
375 7TH STREET, LOUISVILLE, KY.
March 28, 1881.

H. H. WARNER & Co., Sirs.—The effect produced by your Safe Kidney and Liver Cure, which I took for a severe kidney difficulty, was immediate relief and constant improvement until it effected a permanent cure. MRS. ELIZA A. RAE.

Fruit Trees.
ORNAMENTAL TREES
EVERGREENS, &c.

THE undersigned offers an extensive stock of well-grown FRUIT TREES—new Pear, new Peaches, &c. A large stock of

Pear, Apple, Peach, Plum, Cherry, &c., Standards and Dwarfs.

Grapevines, Strawberries, Currants, and other small fruits. Ornamental Trees in great variety for parks, lawns, gardens, &c. Every species of all sizes, of the finest quality. Everything pertaining to the Nursery, Florist and Seed Business, and at the lowest rates.

JOHN SAUL, Washington, D. C.

MOSELEY'S CREAMERY.



Creamery and Refrigerator Combined. HAS taken more First Premiums and Medals than any similar apparatus in America. Requires less ice to operate it than any other Portable Creamery on the market. Is protected by letters patent. Infringers are liable to damages or process. For circulars address the manufacturers.

MOSELEY & STODDARD MFG CO., Poultney, Vermont.

GRIFFITH & TURNER, Gen'l Ag'ts, 41 and 43 N. Paen Street, BALTIMORE, MD.

For Sale.
TWO JERSEY BULLS.

ONE dropped October 19, 1880; price \$50; and one June 20, 1880; price \$30. Both solid color and entitled to be registered. Address

WM. S. CARROLL, Phoenix P. O., Baltimore Co., Md.

For Sale.
Registered Shorthorns,

of both sexes and all ages, from calves to aged cows, at reasonable prices.

JAMES LEE, Churchville, Harford Co., Md.

OXFORD AND DUCHESSE SHORTHORNS, ATWOOD MERINOES

AND BERKSHIRE SWINE.

JOHN S. GOE, Brownsville, Fayette County, Pa.

\$66 a week in your own town. Terms and \$5 outfit free. Address

H. HALLETT & CO., Portland, Maine.

(Established 1864.)

FAY'S BUILDING MATERIAL

For Roofs, Walls and Ceilings in place of plaster. Samples and catalogue mailed free. W. H. FAY, Camden, N.J.

ASBESTOS

A GOOD FARMER must be Jack-of-all-trades, but the most important thing about a farm is to have the buildings well painted. And the art of painting is not in knowing how to spread it on (as this is soon learned), but the mixing is the important point, as great care should be used in the manipulation and selecting of oils, driers, pigments and minerals that enter into its composition. Now, all this is made easy by using the ASBESTOS Paint, which is ready mixed for the brush. Made of pure oil, and has a body equal to two coats of white lead. Send for particulars, color sheet and reduced price list to

J. L. REED,
170 and 172 NORTH FOURTH STREET, PHILADELPHIA,
DEALER IN ALL KINDS OF ASBESTOS MATERIALS.

GOOD FERTILIZERS

BEST QUALITY
GOODS
LOWEST PRICES
POWELL'S PREPARED CHEMICALS

A Farmer can buy a FORMULA for \$12 (250 lbs.) of POWELL'S PREPARED CHEMICALS. This white mixed chemical makes ONE TON of SUPERIOR PHOSPHATE, equal in plant-life and as certain of successful crop-production as any high-priced Phosphate. **NO EXPENSE.** No trouble to mix. Full directions. POWELL'S CHEMICALS have been thoroughly tried, give universal satisfaction, and we offer leading farmers in every State as reference. Send for Pamphlet. Beware of imitations.

Brown Chemical Co
SOLE PROPRIETORS,
Manufacturers of Baltimore, Md.
Powell's Tip Top Bone Fertilizer. Price only \$35 a Ton, net cash.
Bone Meal. Dissolved Bone.
Potash. Ammonia.
And all high-grade Fertilizing Materials.

COTTON GRAIN AND TOBACCO VEGETABLES

HEADQUARTERS FOR SEED POTATOES

ALL the valuable new and standard varieties. American Magnum Bonum, remarkable for its earliness, evenness, good keeping and fine table qualities. 518 bushels grown on one acre and dug 45 days after planting. Chas. Clark, very early and good keeper. White Star, unsurpassed in quality. Watson's Seedling, extra early and very productive. Beauty of Hebron, early and very productive. The earliest of all varieties and very superior in productiveness and quality. White Elephant, wonderfully productive, good keeper and excellent quality. Pride of America, moderately early and fine flavor. White Rose, very handsome and productive for general crop. St. Patrick, good keeper productive and fine quality. Magnum Bonum, early and very productive, large and handsome for general use. P. W. Bond, Early Rose, Burbank's Seedling, Snowflake, and all other good varieties, pure and fine, at low prices. We will send 2 pounds of any of the above varieties by mail, post-paid, on receipt of \$1. Prices by the bushel and barrel will be found in our Illustrated Descriptive Catalogue, which is sent free to any address. **Our seeds are warranted fresh and genuine.** Don't fail to send for our Catalogue before purchasing. It will pay you.

JOHN A. B. & SONS, Seedsmen,
1114 Market St., Phila., Pa.

PENNOCK'S PATENT ROAD MACHINE.

KEEPS THE HIGHWAYS FIVE TIMES BETTER FOR HALF THE PRESENT COST IN CITY OR COUNTRY. PATENTED IN 1881. MACHINES SENT ON TRIAL.



Manufacturers of "Matchless" Dump-Scraper.
S. PENNOCK & SONS CO.,
Kennett Square, Pa., and Fort Wayne, Ind.

1828—RELIABLE—1882

BUIST'S SEEDS

ARE THE BEST SEEDS

Are entirely the product of our own farms, and are unsurpassed by any in the world for purity and reliability. *Garden Almanac*, containing full and complete information, with prices, mailed on receipt of the amount.

ROBERT BUIST, Jr., Seed Grower,
PHILADELPHIA.

Series For 1882.

50 Elegant Imported Seals, all Chromo (250 lbs.) in beautiful colors, Gold & Silver, German & French Florals, Scenery from the River Rhine, Arctic Scenes, Mountains, Seascapes, Views, Bird Motions, etc., in plain fancy script type, 10c. each. Extra Large size Embossed Chromo, 20c. each, in any style, 10c. each. In make 40 per cent. 14 packs of either for \$1. For beautiful bound book of 100 Styles, for 10c. 25c. Full particulars with every card. Blank Cards of the same. **CARD MILLS** Northford Ct.

Be per bushel can be **SAVED** in raising Corn and 25c. in Wheat by using our **HARROW**. Our **VERMILION** contains the finest steel blades in three frames covering 10 feet. Warranted the most powerful Pulverizer known. For Illustrated Pamphlets address **THOMAS HARROW CO., Geneva, N.Y.**

SAW MILLS
The Aultman & Taylor Co., Mansfield, Ohio.

Peruvian Guano.



have secured the only cargo of

HIGH GRADE PERUVIAN GUANO

in the United States direct from PABELLON DE PICA, the richest deposit of Peru, containing 12 per cent. of Ammonia also a full supply from LOBOS' deposits, containing 5 1/2 to 6 per cent. of Ammonia, which I offer for sale direct from ship or warehouse.

J. Q. A. HOLLOWAY,
107 McElderry's Wharf,
BALTIMORE, MD.



THOS. W. HOOPER,
128 West Baltimore Street, Baltimore.

Lake Roland, Baltimore Co.

EGGS, \$2 per 13; \$3 per 25. Send for circular.

WM. L. BRADBURY & CO.

Importers, Breeders and Sales Agents,

THOROUGHbred STOCK,

Nason, Orange Co., Va.

Illustrated Catalogue free.

Imperial Wine Vinegar.

NONPAREIL CIDER VINEGAR.

STRICTLY pure and reliable. Many imitations costing 3 cents a gallon, are sold as Cider Vinegar. To guard against deception, observe that packages bear our brands.

Fresh APOLINARIS WATER.

FREDK. M. BOLLMAN, Importer
135 GAY STREET

FOR SALE,

AT "MAPLE GROVE STOCK FARM,"

SHORTHORN CATTLE,

COTSWOLD SHEEP,

AND BERKSHIRE PIGS.

THOS. J. LEA,

Brighton P. O., Md.

CHOICE BERKSHIRES,

PLYMOUTH ROCK COCKERELS,

AND

BRONZE TURKEY HENS

FOR SALE.

ALEX. M. FULFORD,

Bel Air, Maryland.

BEST PEAR

6,920 bushels of them and other fresh fruits and berries grown and marketed in season of 1881. New Catalogue contains list of best sorts, at the lowest rates, sent FREE.

J. S. COLLINS, Mountstown, N. J.

FOR Berry Boxes, Peach Baskets, etc.

Address A. W. WELLS & CO., St. Jo., Mich.

FIELD AND GARDEN SEEDS

Our stock of seeds is from the most reliable growers, fresh and true to name.

Fertilizers of Standard Brands.

Griffith & Turner's Animal Bone Phosphate.
Griffith & Turner's Ammoniated Bone Phosphate.
Griffith & Turner's Alkaline Plant Food.
Griffith & Turner's Raw Bone.
Baker's Dissolved Bone.
Slinguff's Dissolved Bone.
Turner's Excelsior and Phosphate.
Holloway's Excelsior and Phosphate.
Lester's and Whitlock's Phosphates.
Peruvian and Orchilla Guanos.
Plaster &c.

Oliver Chilled Plows
run lighter, are more easily adjusted, and do better work than any other plow.

Malta Shovel Plows. Iron Age Cultivators.
Corn Drags. Cabot Seed Sowers.
Planet Seed Drill and Cultivator.
Hagerstown Grain Drills. Mosbach Grain Drills.
Farmer's Friend Grain Drill.
The Star Horse Rake. The Victor Horse Rake.
The Hagerstown Horse Rake.
Billard's Hay Tedder. Foust's Hay Leader.
American Hay Elevator. Grain Fans.
Doubt & Harp on Hay Fork.
Philadelphia Lawn Mowers.
McCormick Iron Mowers. Clider Mills.
McCormick Imperial Reapers. Corn Shellers.
Farmer's Friend Corn Planters. Hay Presses.
Key-stone Corn Drills. Butter Workers.
Hay, Straw and Fodder Cutters.



Stoddard Churns. David Swing Churns.
Fountain Pump. Cucumber Pumps.
Patent Galvanized Steel Fence Wire cheap, durable and easily put up.

REPAIRING DONE WITH DISPATCH.

SEND FOR CIRCULARS.

GRIFFITH & TURNER

DEALERS IN

Agricultural Implements, Fer-

tilizers and Seeds,

41 & 43 NORTH PACA STREET,

BALTIMORE, MD.

WILBOR'S COMPOUND OF PURE COD LIVER OIL AND LIME.

WILBOR'S COD-LIVER OIL AND LIME.—The great popularity of this safe and efficacious preparation is alone attributable to its intrinsic worth. In the cure of Coughs, Colds, Asthma, Bronchitis, Whooping Cough, Scrofulous Humors and all Consumptive Symptoms it has no superior, if equal. Let no one neglect the early symptoms of disease when an agent is at hand which will cure all complaints of the Chest, Lungs or Throat. Manufactured only by A. B. WILBOR, Chemist, Boston. Sold by all druggists.

Virginia Lands.

Upper James Real Estate Agency,

By WILLIAM HOLMAN,

CARTERSVILLE, Va.

WHO offers for sale upwards of 19,000 acres of land lying in one of the most desirable regions of Eastern Virginia. Catalogues sent on application.



BUTTER WORKER

Most Effective and Convenient

Also Power Workers.

Capacity 10,000 lbs. per DAY

Butter Presses, Shipping

Boxes, etc. Send for circular.


A. H. REID,

28 S. 16th Street, Phila., Pa.

\$400 IN CASH PRIZES TO GROWERS OF THE BEST SEEDS.

\$75.00 for the BEST 5 CABBAGES. \$135.00 for BEST 9 MELONS. Catalogue FREE. UNION FALLS GREENHOUSE, Springfield, O.

AUCTION SALE OF PERCHERON HORSES.



VICTOR,

IMPORTED IN 1881 BY W. T. WALTERS.

WE will offer for sale, on WEDNESDAY, 22d March next,

Twenty-five Imported Percheron

Stallions and Mares,

ranging in weight up to about 2,000 pounds, and in height up to 17 hands, it being our intention to close up our importing business.

After an experience of five years in France, and a further experience of some fifteen years as importers of these remarkable animals, we do not hesitate to claim for this lot that they are the most remarkable and valuable we have ever seen here or abroad. These horses have been imported the better part of a year, are thoroughly acclimated, and in fine health and condition for standing. We guarantee that our importations have been entirely pure-blood Percherons—that is, descended from the pure Arab, enlarged to give them all the power, more action and spirit, and greater endurance and docility than any draft-horse in the world. This superior race is not to be confounded with Boulonnais, ordinary rough Norman and other French horses largely imported the past few years. On application, Catalogues containing details will be furnished by or previous to March 1st.

Sale to take place at 12 o'clock, at KEARNEY'S STABLES, Cor. Centre and St. Paul Sts., where the horses may be seen several days previous to the sale. They may also be seen at any time at our farm on the York Road, three miles from the city.

W. T. WALTERS & CO.,

68 Exchange Place,

BALTIMORE, MD.

THE HAMBLETONIAN

STALLION

PERALTO

Foaled 1877; Height, 16 1/2 Hands;

Weight, 1,200 Pounds.

Sired by "Pierion," son of Rysdyk's "Hambletonian," out of "Fashion" by "Hietoga Chief," a son of Hatley's "Hietoga." The dam of "Pierion" was "Fannie Clay" by Neaves' "Cassius M. Clay."

PERALTO is believed to equal any five-year-old ever owned in Maryland for speed, breeding, size, appearance and form. As his sire showed a 2:30 gait at Prospect Park track, Brooklyn, N.Y., and his dam beat 2:30, it is thought he will prove a success as a stallion particularly as he comes of demonstrated prepotent families.

TERMS.

Twenty-five dollars the season, with privilege of return the following year in case of failure. Fifty cents to the groom for each mare. Mares from a distance kept on grain or pasture, as desired, at moderate rates, and owner's risk.

ROBT HOUGH,

P. O. Tunis Mills,

TALBOT CO., MD.

CORRECT TIME!

If you want the Best Time Keeper for the Money that can be bought anywhere in the World, get the

LANCASTER WATCH

Sold by Jewelers throughout the United States. Its 16 grades are not the lowest in price but the best for the money. All Quick-Train 3/4-plate Movements. Established 1874. Ask for the LANCASTER, PA., QUICK-TRAIN RAILROAD WATCHES.

WANTED—FARMERS AND DEALERS TO KNOW

That the CHEAPEST and BEST Fertilizer for all crops is

BAUGH'S PURE DISSOLVED RAW BONE

WARRANTED to be composed of Pure Raw Bone and Oil of Vitrol only. Send for our descriptive pamphlet showing Guaranteed Analysis. "Sent Free." Dealer wanted in every county. Address
BAUGH & SONS, Philadelphia & Baltimore.

GILPIN'S VEGETABLE LIVER PILLS

ARE prepared, with great care from medical plants; are coated with sugar, that they may be taken by the smallest child and upon the most delicate stomach; are intended especially to act upon the Liver, thereby relieving all such diseases as COSTIVENESS, HEADACHE, PARALYSIS, DYSPEPSIA, COLIC, JAUNDICE, and all diseases of a bilious origin. No better evidence can be offered in favor of the Pills than the very fact that where their ingredients are known to family physicians, they are using them in their private practice. We append the following from one of our most prominent physicians:

OAKLAND, June 28, 1890.—Dr. Gilpin: After carefully examining the formula of your Sugar-Coated Pills, I feel it but justice to say that the combination is certainly perfect, and comprises the only remedies I ever believed were the proper ones to be used in diseases of a bilious origin. I shall take pleasure in recommending them, not only to my patients but the entire medical profession. Yours truly, J. M. WISTAR, M.D.

From one of the leading retail druggists of West Virginia:

W. STON, W. VA. June 18, 1890.—Messrs. Canby, Gilpin & Co.—Gents: Please send by express twelve dozen Gilpin's Vegetable Liver Pills. I have the most flattering accounts from all who have used them, and believe the day is not far distant when they will supersede all others. Yours, F. M. CHALFANT.

We could fill several pages with certificates, etc., from prominent men throughout the country, but prefer to let the Pills in the future, as they have in the past, rest entirely on their own merit, knowing that wherever they are known their use will pass down from generation to generation.

GILPIN'S VEGETABLE LIVER PILLS are sold by all respectable druggists and country storekeepers throughout the United States and Canada.

Principal Depot, CANBY, GILPIN & CO., Baltimore.

Ground Raw Limestone as a Fertilizer.

The interest among intelligent farmers is increasing on the subject of

GROUND RAW LIMESTONE AS A FERTILIZER.

Wherever enough has been used, say 700 to 800 pounds per acre, the result has always been satisfactory. A Marylander writes as that he distributed twenty-five tons in October last on different farms, and up to this time it is equal in every case to the best Phosphates and in some cases is superior to all other Fertilizers. An analysis of the celebrated Blue Grass region of Kentucky shows 244 parts carbonate of lime and 0.319 phosphoric acid. That is, there is eight times as much Ground Raw Limestone in the virgin soil of the Blue Grass region as there is of Phosphates or Bone Dust. Our formula for the best Fertilizer has always been 500 pounds of Ground Raw Limestone to 100 pounds of Bone Dust. No one in their senses questions that Phosphates do good to the land, and no one in their senses ought to deny, in view of the analysis of the Blue Grass soil, that Ground Raw Limestone should be the BASIS of Phosphates and Bone Dust 7 to 1. Limestone contains 46.10 carbon; straw contains 44.43 carbon; and yet professional men tell us that plants get all their carbonic acid from the atmosphere. The facts are against them. Nature put eight times as much carbonate of lime in the Blue Grass region as phosphoric acid.

For further information, and cost of machinery for making the new Fertilizer, inquire of

TOTTEN & CO., PITTSBURG.

It can be made for 4½ cents per bushel, or less than \$1.50 per ton, and every farmer can prepare his own Fertilizer with ordinary horse power.

PRICES OF MACHINES.

1 horse power.	3 horse power.	5 horse power.
\$190.	\$390.	\$570.

81-POUND CUBAN QUEEN WATER-MELON.



This new Melon from the West Indies is certainly the Largest and Finest Variety in the world. Flesh, bright red, remarkably solid, luscious, crisp and sugary—far surpassing all others, and on a Melon of enormous size there is barely half an inch rind! The first prize Melon the past dry season weighed 81 pounds. We offer \$50.00 IN CASH PRIZES FOR 1892 for the three largest Melons grown from our seed. Do not fail to try and see how large the Cuban Queen can be grown.

OTHER SPECIALTIES FOR 1892—Burpee's Netted Gem Cucumber (see illustration), the earliest, most productive, sweet as honey and a gem indeed! Burpee's Bunching Cabbage, the very best, all head and always sure to head. Lemon Pea Wax Beans, marvellous for great beauty, the quality and quantity production. Livingston's Perfect Tomato, bright red and smooth as an apple. Giant Mosaic Onion, grown from our seed last year to weigh 1½ lbs. each. Burpee's Improved Long Orange Carrot, fast strain. Peerless White Spine Cucumber, the earliest, most productive, sweet as honey and a gem indeed! Burpee's Bunching Cabbage, the very best, all head and always sure to head. Lemon Pea Wax Beans, marvellous for great beauty, the quality and quantity production. Livingston's Perfect Tomato, bright red and smooth as an apple. Giant Mosaic Onion, grown from our seed last year to weigh 1½ lbs. each. Burpee's Improved Long Orange Carrot, fast strain. Peerless White Spine Cucumber, the earliest, most productive, sweet as honey and a gem indeed!

Cucumber, best for table or pickling. Giant White Spine Cucumber, the earliest, most productive, sweet as honey and a gem indeed! Burpee's Bunching Cabbage, the very best, all head and always sure to head. Lemon Pea Wax Beans, marvellous for great beauty, the quality and quantity production. Livingston's Perfect Tomato, bright red and smooth as an apple. Giant Mosaic Onion, grown from our seed last year to weigh 1½ lbs. each. Burpee's Improved Long Orange Carrot, fast strain. Peerless White Spine Cucumber, the earliest, most productive, sweet as honey and a gem indeed!

A REMARKABLE OFFER! The above 12 packets of the choicest and New Vegetables at our catalogue prices are worth \$1.15, but we will send the entire collection, by mail, post-paid, to any address, for ONLY 50 CENTS, or 5 collections for \$2.00. Our seeds are all Warranted First-Class, unrivalled in quality, and this remarkable offer is made to induce thousands of new customers to give them a fair trial.

FLOWER SEEDS. Another Great Offer! BURPEE'S GEM COLLECTION FOR 1892, embracing Aster, Balsam, Pansy, Pinks, Phlox Drummondii, Verbena Hybrida, Double Zinnia, &c.—in all 10 packets—most beautiful varieties, with full directions for culture, for only 30 CENTS, or ten 3-cent stamps, sent post-paid to any address. Both Collections, of Flower and Vegetable Seeds—in all 22 packets—will be mailed for 75 CENTS. Postage stamps accepted as cash. Order now, and ask for BURPEE'S FARM ANNULAR FOR 1892, beautifully illustrated, tells all about the best Garden, Field and Flower Seeds, Bulbs, Plants, &c., and is sent Free to any Address.

W. ATLEE BURPEE & CO., 219 & 221 Church St., Philadelphia, Pa.

\$72 a week. \$12 a day at home easily made.
 Costly outfit free. Address
TRUE & CO., Augusta, Maine.

G. W. LEHMANN, Ph. D. W. MAGER,
 Chemist and Metallurgist. Formerly Chemist of U. S. G.
 Bulbs, Copper Works. Fertilizer Control Station

LEHMANN & MAGER,
CHEMISTS AND ASSAYERS,
 57 S. GAY ST., BALTIMORE, MD.

ANALYSES of all descriptions—Manures, Soils, Chemical Fertilizers. Ores of Gold and Silver (by fire process), Copper, Lead, Manganese, etc. Clays, Coal Limestone and other minerals. Water for steam, manufacturing and household use. Mineral waters and various products of art. Terms moderate.

DR. R. P. LORD, VETERINARY SURGEON

MEMBER of the Royal College of Veterinary Surgeons, London. Treats all Diseases of Horses, Dogs and Cattle. Spacious Infirmary Stables and Operating Shed.

Cor. Penna. Ave. and Hoffman St., Baltimore.

RU PATTERNS! Agents wanted. For circulars address with stamp, E. S. Frost & Co., Biddisford, Me.

Jersey Red Pigs.

From Largest Herd North, which took Five Premiums and Special Mention at Virginia State Fair, 1891.

THIS hog is free from disease, a natural grazer, prolific and early to mature. Catalogue free. Also, COLLIE PUPS in April, from imported strains.

T. LOVELOCK, Gordonsville, Va.

SHORT HORNED CATTLE,

C. TSWOLD SHEEP,

POLAND-CHINA PIG.

A few choice young bulls now ready for sale.

J. B. CRAY, Fredericksburg, Va.

Legal Tender Strawberry.

PRODUCTIVE as the Crescent; firm as the Wilson; large, handsome, delicious. Will be offered by subscription. New WHITE Strawberry, the FAIRY, ORIENT and SATIN GLOSS, a grand success the past season. Manchester, Mount Vernon, &c. EARLY PROLIFIC and RELIANCE Raspberries still ahead; 20 acres now in bearing. Kiefer and Leconte Pear wood in quantity. All the best Small Fruit Plants. Premiums and other choice Grapevines, Trees, &c., at low prices. Send for List.

J. C. GIBSON, Woodbury, N. J.

PLANTS BY MAIL

We will send by mail, post-paid, to any address in the United States, on receipt of one dollar (\$1.00), ten Roses of the best varieties.

- | | |
|--|---|
| or, 10 Ampelopsis Vitis, 10
8 Azaleas, assorted.
4 Begonias, flowering.
10 Camellias, assorted.
8 Camellias, assorted.
4 Crotons, best varieties.
6 Cypripedium recurvatum.
8 Lantana floribunda.
8 Oenothera rigida.
4 Daphne odora. | or, 4 Dracenas, best varieties.
8 Abutilons.
8 Eranthis, best varieties.
10 Ferns, best varieties.
10 Gardenia florida, 10
15 Geraniums, best varieties.
15 Heliotropes.
6 Marantas, best varieties.
8 Mandarins utilis.
8 Rhynchospermum Jasminoides.
19 Smilax. |
|--|---|

We will send six of the above collection for \$5, thirteen for \$10, or the whole twenty-two collections for \$15. (Having the largest place of the kind in the United States, we are in a position to offer the most reasonable terms.) Descriptive Catalogue mailed free on application.

Successor to **JOHN DICK, JR.,** Fifty-third Street and Darby Road, Philadelphia.

MUSICAL JOURNAL

PHILADELPHIA MUSICAL JOURNAL, 1300 CHESTNUT STREET.

\$2 WORTH OF MUSIC for 10 CTS.

Music in the Feb. No. of Journal:

1. Diamonds and Dewdrops—Polka. Instrum'l.
2. Young Life Galop. Instrumental.
3. Tell me that you'll not Forget me. Vocal.
4. May Morning. Vocal.
5. Wedding March. Instrumental.
6. Were I a Violet. Vocal.

Single number 10¢. Yearly subscription \$1.

PEOPLES' MUTUAL LIVE STOCK INSURANCE COMPANY OF BALTIMORE, MD.

Office, No. 23 South Street,
 Over the Firemen's Insurance Company.

THIS COMPANY INSURES
 HORSES, MULES AND MILCH COWS
 Against Death by Disease or Accident.

IT IS AN INSURANCE COMPANY, NOT AN ASSOCIATION.

Makes Yearly Reports to the Insurance Department of the State of Maryland.

PLAN MUTUAL.

ALL STOCK inspected by the Company's inspectors before policies are issued. For particulars send to the Company's office for circular, which gives all information as to plan, cost, etc. President, ROBT. S. CORSE, formerly of Clairmont Nurseries. Vice President, WM. B. SANDS, Editor AMERICAN FARMER. Treasurer, GEO. W. S. HOFFMAN, of W. H. Hoffman & Sons, Paper Manufacturers, Baltimore county. Secretary, ELI W. FREE.

ROSEBANK NURSERIES, GOVANSTOWN, BALTIMORE COUNTY, MARYLAND.

Ornamental and Fruit Trees, Flowering Shrubs, Herbaceous Plants.

WE invite the attention of the public to our select stock of the following: STANDARD AND DWARF PEARS—2, 3 and 4 years. APPLES—Standard and Dwarf. CHERRIES—Standard and Dwarf. APRICOTS, 1 and 2 years. MULBERRIES, CHAPARRALS, of the most popular kinds, together with other small fruits. Our Collections of ORNAMENTAL TREES AND SHRUBS are large and embrace most of the rarest sorts. ROSES on their own roots, with the newest of BEDDING-OUT PLANTS by the dozen or 1,000, for which we have issued a separate Catalogue.

SPECIAL—Sixty thousand one and two-year-old OSAGE ORANGE PLANTS, for hedges.

CATALOGUES FORWARDED ON APPLICATION. ORDERS BY MAIL PROMPTLY ATTENDED TO. ALL GOODS DELIVERED IN BALTIMORE FREE OF CHARGE.

W. D. BRACKENRIDGE.

EASTERN SHORE NURSERIES, DENTON, CAROLINE CO., MD.

SPRING OF 1892

MY NEW PRICE-LIST for coming spring is ready, and will be mailed free to all applicants giving post office address, plainly written (including name of county). My prices are "SUBSIDIALIZED" so far as a downward tendency goes, while I am happy to inform my former customers and all the readers of THE AMERICAN FARMER that the growth of my stock was never better than the present season. Peach and Apple trees are particularly fine, while the list of valuable varieties has been greatly increased. A complete assortment of all kinds of Fruit, Shade and Ornamental Trees, an immense stock of Grapevines, Asparagus Plants, Flowering Shrubs, &c., &c. Correspondence solicited.

J. W. KERR, Proprietor.

LUMBER.

THOMAS MATTHEWS & SON, 88 N. High St. and Cor. Canton Ave. and Albemarle St., Baltimore.

White Pine and Yellow Pine LUMBER, for Building.
 Rough and Dressed Lumber.
 HARDWOOD FOR WHEELWRIGHTS AND CABINET-MAKERS.
 SHINGLES, LATHS, PALES, ETC., AT LOWEST PRICES.

LANDRETH'S GARDEN SEEDS

It is manifest that from GOOD SEEDS ONLY can Good Vegetables be obtained. The character of LANDRETH'S SEEDS has been substantiated beyond all question. They are the STANDARD for Quality. Over 1500 acres in Garden Seed Crops under our own cultivation. Ask your Storekeeper for them in original sealed packages, or drop us a postal card for prices and Catalogue. Wholesale trade prices to dealers on application.

Founded 1794. **DAVID LANDRETH & SONS,** 21 and 23 S. Sixth St., Philadelphia.

J. C. DURBOROW & CO.,

GENERAL AGENTS FOR THE

CROFT IMPROVED IRON**WIND ENGINE.**

The Best now in use. Very Strong, Simple and Durable. Runs while other Mills are standing still.

THE Mill being made entirely of iron, renders it superior to the trappy affairs made of wood, as it is not affected by the weather. The buckets of our Windmill are so constructed as to get the full power of the wind without breaking its force on the inside edge of the bucket, as it travels at about the same rate of speed as the outer edge. This Mill is fully warranted, and any purchaser will be given thirty days' trial before settling for it.

SEND FOR DESCRIPTIVE CIRCULAR.

ROCK HALL, Kent County, Md.,
September 21, 1881.

Messrs. J. C. DURBOROW & CO.,
35 Light Street, Baltimore.
Dear Sirs: Enclosed please find my check in payment for the "Croft Windmill" I bought of you. After thirty days' trial, must say if it continues to work as it has done I would not be without it for twice the cost if I could not get another.
Yours respectfully,
B. V. SAPPINGTON.

A FULL LINE OF
FARM MACHINERY
CONSTANTLY ON HAND.

Springfield Pitts Thresher, Mansfield Engines,
Superior Grain Drill, Thomas Horse Rake,
South Bend Chilled Plows, &c.
Wood and Iron Pumps,
Wheelbarrows of all kinds.

CORRESPONDENCE SOLICITED.

Office and Warehouse,

35 LIGHT STREET, BALTIMORE**TO COTTON PLANTERS.****J. J. TURNER & CO.'S**

Ammoniated

BONE

SUPER

Phosphate

Composed of the most concentrated materials, it is

RICHER IN AMMONIA and SOLUBLE PHOSPHATES
than any other fertilizer sold, except OUR "EXCELSIOR," and is made with the same care and supervision, uniform quality guaranteed. Fine and dry, in excellent order for drilling.
We have also a very superior quality of

PURE DISSOLVED BONES,

And keep constantly on hand a large supply of high-grade PERUVIAN GUANO.

J. J. TURNER & CO., 42 W. Pratt St., Baltimore, Md.**B. GUS. HILL & CO.****PRODUCE****COMMISSION MERCHANTS,****195 LEXINGTON STREET,****BALTIMORE.**

FARMERS' local orders for option trading solicited, and faithfully executed. Orders for SEEDS and FERTILIZERS promptly filled. CONSIGNMENTS SOLICITED. Reference, Howard Bank of Baltimore.

GEORGE PAGE & CO.

No. 5 NORTH SCHROEDER STREET, BALTIMORE, MD.
MANUFACTURERS OF **PATENT PORTABLE STEAM ENGINES.**

The Boilers (the Safest and most Economical of Fuel made).
STATIONARY Steam Engines and Boilers, Patent Portable Circular Saw Mills, Sash, Mule and Gang Saw Mills, Flour Mill Machinery, Grist Mills, Shaffing, Pulleys, &c., &c. AGRICULTURAL ENGINES A SPECIALTY. Lath, Shingle and Barrel Machinery, Lefel Turbine Water Wheels, Wood Working Machinery, all kinds; Tanite Emery Wheels and Grinders, Circular Saws, Saw Gummies, and Tools and Mill Supplies generally. Agents for **NICOLS, SHEPARD & CO'S VIBRATOR THRESHING MACHINES**. COMPLETE THRESHING OUTFITS FURNISHED. Send for Descriptive Catalogue and Reduced Price List.

GEO. F. SLOAN & BROTHER.**LUMBER,****DOORS, SASH, BRICKS, &C.****IN LOTS TO SUIT.****132 LIGHT STREET WHARF, BALTIMORE.**

1828 CLAIRMONT AND FURLEY HALL 1881
NURSERIES.

Large Stock for Spring.

100,000 Apple Trees of all leading varieties. A large stock of Standard and Dwarf Pears, Peaches, Cherries, Plums, Damsons, Grapevines, Raspberries, including Gregg and Queen of the Market. 20 varieties of Strawberry Plants, Evergreen and Shade Trees, Shrubbery and Climbing Vines.

WM. CORSE & SONS,

Box 248, Baltimore City.

Nurseries—Bel Air Road, 2 miles from City.

J. M. LAROQUE'S ANTI-BILIOUS BITTERS**CURES**

Dyspepsia, Nervousness, Bilious Attacks, Sick and Nervous Headache, Constipation of the Bowels, Kidney and Bladder Affections, Sour Stomach, Chills and Fevers, Female Diseases, All Bilious Affections, and is an Excellent Stomachic.

Is a purely vegetable, faultless Family Medicine, for all diseases caused by a deranged state of the Liver. It has been manufactured at Laroque's Pharmacy, Cor. Baltimore and Harrison Sts., for more than fifty years. Its efficacy in all forms of Liver Diseases has been tested and approved by thousands who have used it successfully. The price also is within the reach of all, being 25 cts. for packages and \$1 for the liquid in bottles.

REGULATES

Torpid Liver, and cures all diseases arising from a Disordered Stomach. Its use can be stopped at any time, without any bad effects. Always beneficial; never harmful. Be sure and get the genuine Prepared at

Laroque's Pharmacy,
Cor. Baltimore and Harrison Sts.,
and having the signature of W. E. Thornton on the label.

W. E. THORNTON,**PROPRIETOR.****N. E. Cor. Baltimore and Harrison Sts., Baltimore, Md.**

Sold by Druggists and Storekeepers Everywhere.

POOLE & HUNT, BALTIMORE

MANUFACTURERS OF

THE POOLE & HUNT LEFFEL TURBINE

WATER WHEELS,**MACHINE MOULDED MILL CEARING.**

SHAFING, PULLEYS AND HANGERS,
STEAM ENGINES AND BOILERS,
MIXERS FOR FERTILIZERS AND CHEMICALS.

A. G. MOTT,**AGRICULTURAL IMPLEMENT**

And Seed Warehouse.

40 Ensor St., Near Belair Market, Baltimore

SOLE AGENT for the great **BELLE CITY FEED CUTTER** "Boss of the World" for Fodder, Hay and Straw. Cuts 4 lengths, from 1/4 to 2 inches. Will cut one ton in 30 minutes. **SEND FOR CIRCULAR.**

BEE-KEEPERS' SUPPLIES

FOR 1882.

SEND TO C. H. LAKE, BALTIMORE, MD., for Price List and Circular of Bees, Bee Hives, Sections, Crates, Foundation, Smokers, and all standard equipments for the Apiary, before ordering your goods elsewhere. The **STANDARD LANGSTROTH HIVE** a specialty. All other popular Hives cut to order. As we will soon introduce additional steam power into our business, we will be able to fill orders promptly and satisfactorily.

SUNNY SIDE APIARY, BALTIMORE, MD.**CHAS. H. LAKE, MANAGER.**

\$777 A YEAR and expenses to Agents. Outfit Free. Address—P. O. Vickery, Augusta, Me.

BEAN'S EXTRACT OF ANNATTO.

Price, 25, 50 and \$1.00 per Bottle.

The only true Butter Color ever offered to the public. Gives a genuine richness, which pleases the eye and tickles the palate. Ask your nearest druggist or storekeeper to procure it for you. Address the manufacturer, **BEAN & LANE**, Wholesale Druggists, 47 and 49 North Second St., Philadelphia.





Windsor Herd JERSEYS.

WATTS & SETH,

28 ST. PAUL STREET,
BALTIMORE, MD.

NEW CROP PEAS,

EARLY AND LATE.

THOS. NORRIS & SON,

Agricultural Implements, Machinery, Seeds, &c.

60 LIGHT STREET,

BALTIMORE.

Established
1840

A. E. WARNER,

MANUFACTURER OF

SILVER WARE AND RICH JEWELRY

English, Swiss, and American WATCHES of the Best Makers

Importer and Dealer in Diamonds, Fine Watches,

Silver-Plated Ware, Table Cutlery, &c.

Wedding Presents.

Premiums for Agricultural Fairs, Fine Bronzes, Opera Glasses, Shell Jewelry, &c.

All of which is offered at GREATLY REDUCED PRICES.

No. 135 WEST BALTIMORE STREET, near Calvert, Baltimore.

FRANKLIN DAVIS.

EDW. H. BISSELL.

BALTIMORE NURSERIES.

FRANKLIN DAVIS & CO.

400 Acres in Nursery Stock. 100 Acres in Orchards.
100 Acres in Small Fruits.

WE offer to our customers an immense stock of APPLES, PEACHES, CHERRIES, APRICOTS, GRAPES, &c. all the standard sorts. Also the new varieties of FRUITS, ORNAMENTAL TREES, SHRUBS, ROSES, &c. Wholesale and Retail. To dealers we can offer stock on favorable terms, and the best facilities for packing and shipping. Catalogues mailed on application.

FRANKLIN DAVIS & CO.

Office Cor. Baltimore and Paca Sts. (over People's Bank),

BALTIMORE, MD.

J. J. TURNER.

J. D. KEILEY, Jr.

J. J. TURNER, Jr.

J. J. TURNER & CO.'S

"Excelsior," "Ammoniated Bone-Super-Phosphate," "Pure Dissolved Bones."

(ESTABLISHED 1828.)

1858.—1882.

To Cotton Planters.



Forming the most concentrated, universal and durable FERTILIZER ever offered to the farmer—combining all the stimulating qualities of Peruvian Guano and the ever-durable fertilizing properties of Bones in fine, dry powder, prepared expressly for drilling, and can be applied in any quantity, however small, per acre. It is the opinion of many close-calculating farmers, after TWENTY-FOUR YEARS' experience in testing it side by side with other popular fertilizers, that an application of 100 pounds of "EXCELSIOR" is equal to 250 pounds of any other fertilizer or guano, and therefore fully 100 per cent. cheaper.

Uniformity of Quality Guaranteed by the Manufacturers.

Farmers can only be secure from inferior imitations by seeing that every bag is BRANDED WITH OUR NAME AND THE ANALYSIS IN RED LETTERS.

J. J. TURNER & CO. 42 W. Pratt St., Baltimore, Md.

SEEDS DREER PLANTS

The disappointment, vexation and loss from the failure of the season's supply of Vegetables by planting worthless seeds, is a fact experienced perhaps once by every grower. To all such, and those who want a strictly reliable strain of Vegetable and Flower seeds, we have to give DREER'S GARDEN SEEDS a trial. Forty-four years' experience in furnishing the most critical Market Gardeners and Amateurs with their supplies of seeds, secured by thorough inspection of growing crops and satisfactory trials on our own farm. DREER'S GARDEN CALENDAR FOR 1882, giving complete descriptive and priced lists, mailed free. Please apply to A. Market Gardeners, HENRY A. DREER, 714 Chestnut Street, PHILADELPHIA.

SEEDS!

FARMERS
GARDENERS
NURSEYMEN

It pays to have good tools and seeds. It pays to buy of a reliable house. It will pay you to send for our Illustrated Catalogue.

IMPLEMENTS

Philadelphia Lawn Mower, Calson Broadcast Seed Sower, Matthews Seed Drills, and other first-class goods. Everything for the Lawn, Garden, Greenhouse or Nursery. We warrant everything as represented.

HIRAM SIBLEY & CO.

SEEDS AND IMPLEMENTS,
Fully Illustrated Catalogue sent free.

CHICAGO, ILL. Wholesale and Retail. ROCHESTER, N.Y.

FARMERS anxious to make money, and men alive for business, can secure and enhance by applying at once for control of territory.

Live ENCYCLOPEDIA

This present is useful and practical work contains portraits of MAUD S. and IROQUOIS, and treats fully of Horses, Goats, Sheep, Swine, Poultry, Bees and Dogs. Nearly 1100 pages; over 400 illustrations. Write for opinions of eminent veterinary surgeons and particulars of the money others are making. Price Liberal. Address: HUBBARD BROS., 723 Chestnut St., Philadelphia.

FOR SALE.

ONE YOKE WELL-TRAINED HOLSTEIN OXEN, with yoke and nearly new cart.

APPLY AT

S. M. Shotmaker's Place,

Near Stevenson's Station, N. C. R. W.,

BALTIMORE CO., MD.

STRAWBERRY PLANTS,

BY the 100 or 100,000. Have a large and pure stock of all the leading standard varieties, and many of the newer sorts. Sharpless, Miner's Great Prolific, Mt. Vernon, Cumb. Triumph, 75c. per C.; \$5 per M. Crescent Seedling, Monarch, Kentucky, Duncan, Wilson, Chas. Downing, 40c. per C.; \$2.25 per M. Also,

RASPBERRY PLANTS.

Gregg, \$15 per M.; Cuthbert, \$11; Brandywine, \$9.

R. S. COLE,

Cedar Hill Fruit Farm,

Harman's, A. A. Co., Md.

REGISTERED JERSEYS.

Chatsworth Farm,

Reisterstown, Balto. Co., Md.

FOR SALE.

REGISTERED CALVES, tracing to such bulls as Lord Rag 1412, De Lancy 1234, and Watts 2618, the two first combining the blood of Albert, Splendid, McClellan and Pansy & Co. The excellence of LORD REX, now at the head of my herd, is everywhere conceded. My herd took at the Baltimore County Fair of 1881 the Special Jersey Herd Prize of \$100, and five other First Prizes, the judges being John V. N. Willis, Esq., of New Jersey, and Colin Campbell, Esq., of Pennsylvania, and the conditions of competition unusually exacting.

ANDREW BANKS.

Card Collectors!

1st.—Buy seven bars DOBBINS'S ELECTRIC SOAP of your Grocer.

2d.—Ask him to give you a bill of it.

3d.—Mail us his bill and your full address.

4th.—We will mail you FREE seven beautiful cards, in six colors and gold, representing Shakespeare's "Seven Ages of Man."

I. L. CRAGIN & Co.

116 S. Fourth St.,

PHILADELPHIA, PA.

NEW ORNAMENTAL TREES FRUIT & SHRUBS, ROSES, 1882.

Besides the largest and most complete general stock of Fruit and Ornamental Trees, Roses, etc., in the U. S., we offer many Choice Novelties. New Abridged Catalogue mailed free to all who apply. Address: ELLWANGER & BARRY, Mount Hope Nurseries, Rochester, N.Y.



THIRTY-SIX Varieties of Cabbage; 26 of Corn, 28 of Cucumbers, 41 of Melon, 33 of Peas, 26 of Beans, 17 of Squash, 23 of Beet and 40 of Tomato, with other varieties in proportion; a large portion of which were grown on my five seed Farms, will be found in my "Vegetable and Flower Seed Catalogue for 1882," sent free to all who apply. Customers of last season need not write for it. All Seed sold from my establishment warranted to be both fresh and true to name, so far, that should it prove otherwise, I will refund the order gratis. The original introducer of Early Ohio and Burbank Potatoes, Marblehead Early Corn, the Hubbard Squash, Marblehead Cabbage, Phinney's Melon, and a score of other new Vegetables. I invite the patronage of the public. New Vegetables a specialty.

James J. M. Gregory, Marblehead, Mass.

BERKSHIRES FOR SALE

At Reasonable Prices.

I BREED only from the most choice stock of the country, in pedigree, form and markings. All stock recorded, and can be seen at any time. Also, Black-Breasted, Red-Breasted, and Blue GAMES CHICKENS, or eggs of superior stock for sale. Stock shipped as represented. Correspondence solicited.

THOS. A. HAYS, Churchville, Md.

To Dealers and Consumers of Paints

We respectfully call your attention to our Enamel Ready-Mixed Paints, prepared for immediate use, which is rapidly superseding the ordinary Paint. Experience has fully demonstrated that it will stand exposure to the weather much longer than Paint mixed in the usual way, that it will retain its Brightness of Color, and will not crack or peel off.

EUTAW PAINT CO.

Manufacturers of

WHITE LEADS

PUTTY,

Snow White

ZINC

&c.

PAINTS

In Oil,

COLORS,

SALTPETRE,

CHEMICALS, &c

100 W. LOMBARD ST.

BALTIMORE, MD.

It can be applied by any person, and the expense of employing a painter is saved, whilst the cost of the Paint will be one-third less than when mixed in the ordinary way.

We are prepared to give any information that may be desired on application by mail or in person, and solicit a trial from you to be convinced of the above statements. Address:—

Eutaw Paint Co.

100 W. Lombard Street,

BALTIMORE, MD.

"High Grade" Ammoniated Super-Phosphate.

"Bos" Ammoniated Super-Phosphate.

GRAIN GENERATOR.

DISSOLVED S. C. PHOSPHATE.

12 to 15 Per Cent. Available Phosphoric Acid.

DISSOLVED ANIMAL BONE.

AGRICULTURAL CHEMICALS.

We have in stock a full line of the above goods.

WM. DAVISON & CO. 118 W. LOMBARD STREET, BALTIMORE.

TO FARMERS & STOCK OWNERS



The Rittaker Manufacturing Co.

1. **The Indian Condition Powder.**—Up like many powders now on the market, which act on y as a stimulant, these powders, an entirely vegetable compound, possess the qualities of a tonic—invigorating and developing the natural powers of animals, and being a mild purgative. Keep the system in a healthy condition, enabling the animal to do more work and to resist the approach of disease. To dairymen these powders are invaluable, largely increasing the yield of milk, enriching the cream and adding greatly to its butter-making properties. When used on dairy farms it has a very beneficial most complete satisfaction.
2. **The Eastern Ointment.**—For the cure of cuts, sores, and all kinds of wounds on man or beast. The ointment, prepared in accordance with the method applied to the cure of the most difficult stabling, is perfectly marvelous, relieving the inflammation at once and working a cure after a few applications.
3. **The Rittaker Chicken Food.**—For prevention and cure of all diseases incident to poultry yards. Poultry keepers find, after brief trial, a very large increase in the production of eggs, and marked improvement in the weight and appearance of fowls. As a promoter of growth in young fowls it has no equal, keeping them in health and free from vermin.
4. **The Shepherd's Lotion.**—A chemical preparation for prevention and cure of scab, rot, &c., in sheep and swine. This preparation needs only a trial to prove its worth.
One-pound box samples of the Condition Powders or Chicken Food, or a sample box of the Ointment, will be forwarded to any address, post paid, on receipt of 25 cts in stamps or currency. Address for samples or circulars, **The Rittaker Manufacturing Co., 175 N. 3rd St., Philadelphia, Pa.**

HIGH CLASS PLYMOUTH ROCKS.

\$2.00 Per Setting.

BUSINESS BIRDS ALL SOLD.

E. B. OWENS,

105 W. Pratt St., Baltimore.

\$5 to \$20 per day at home. Samples worth 25 free. Address **OWENS & CO., Portland, Maine.**

WM. STUART SYMINGTON.

OFFICE, 7 German St., Baltimore.

SYMINGTON BROS. & CO.

Manufacturers of the

ORIOLE FERTILIZERS,

VIZ:

Oriole Oaky Wood Fertilizer

For Red Lands.

Oriole Piney Wood Fertilizer

For Grey Lands.

Oriole Acid Phosphate.

Oriole Dissolved Bones.

Oriole Amm. Superphosphate

Each brand is made under a different and distinct formula, and each contains what is most needed by the particular soil for which it is intended. We guarantee our goods exactly as represented.

SYMINGTON BROS. & CO., Manufacturing Chemists.

TRUTH ATTESTED.

Some Important Statements of Well-Known People Wholly Verified.

In order that the public may fully realize the genuineness of the statements, as well as the power and value of the article of which they speak, we publish herewith the fac simile signatures of parties whose sincerity is beyond question. The truth of these testimonials is absolute, nor can the facts they announce be ignored.

ATLANTA, GA., March 3, 1881.

H. H. Warner & Co., Rochester, N. Y.:

GENTLEMEN—For twenty years I have suffered more or less from my bladder and kidneys. My business for many years has required me to travel all over the southern states. While going to Texas last fall, I saw in a paper an advertisement of Warner's Safe Kidney and Liver Cure. I bought a bottle, and in less than a week the improvement in my health was palpable. Since then my general health has improved wonderfully, and I now enjoy a vigorous health and strength, in every particular, such as I had not hoped it possible to enjoy again in this world—of which I am satisfied, under God's blessing, has been due to your remedy.

Ins. C. Whitner

OFFICE OF ORDINARY, MUSCOGEE CO.,

COLUMBIA, GA., Oct. 1, 1881.

H. H. Warner & Co., Rochester, N. Y.:

GENTLEMEN—For eighteen months I suffered intensely with a disease of the kidneys and a torpid liver, and after trying every remedy that I could hear of, besides being under the treatment of some of our ablest physicians, I had about given my case up as hopelessly incurable. I was, however, prevailed upon by my wife to try your Safe Kidney and Liver Cure. I confess I had but little faith in its merits or efficacy; but to my great satisfaction, after I had commenced on the second bottle, I continued the use of the medicine until I became completely cured.

C. W. Brooks

Judge Court of Ordinary.

Thousands of equally strong endorsements—many of them in cases where hope was abandoned—have been voluntarily given, showing the remarkable power of Warner's Safe Kidney and Liver Cure in all diseases of the kidneys, liver and urinary organs. If any one who reads this has any physical trouble, remember the great danger of delay.

Wanted, on Salary.

LADIES in every neighborhood to get up clubs for something new. Suitable for an elegant present. Send 25c. in stamps, with references, for sample, full instructions and terms to agents.

F. L. HORTON & Co., Indianapolis, Ind.

WANTED.

SECOND-HAND VOLUMES of the AMERICAN JERSEY CATTLE CLUB HERD REGISTER.

Address, giving number of volume and price,

S. T., Care AMERICAN FARMER OFF.

THOS. A. SYMINGTON.

WORKS,

Locust Point, Baltimore.

Manufacturers of the

ORIOLE FERTILIZERS,

VIZ:

Oriole Oaky Wood Fertilizer

For Red Lands.

Oriole Piney Wood Fertilizer

For Grey Lands.

Oriole Acid Phosphate.

Oriole Dissolved Bones.

Oriole Amm. Superphosphate

Each brand is made under a different and distinct formula, and each contains what is most needed by the particular soil for which it is intended. We guarantee our goods exactly as represented.

SYMINGTON BROS. & CO., Manufacturing Chemists.

SLINGLUFF & CO.
OFFICE, 157 W. Fayette St. BALTIMORE. WORKS, Foot Loadenhall St.
Manufacturers and Manipulators of
PHOSPHATES.

We are now offering to the trade the following WELL-KNOWN BRANDS OF GOODS, which are guaranteed fully up to the standard:

SLINGLUFF'S DISSOLVED GROUND BONE.
Containing 8 per cent. of Ammonia.

SLINGLUFF'S DISSOLVED SOUTH AMERICAN BONE ASH.
Containing 40 to 44 per cent. Soluble Bone Phosphate.

SLINGLUFF'S DISSOLVED SOUTH CAROLINA PHOSPHATE.
Containing 28 to 32 per cent. Soluble Bone Phosphate.

To meet the demand for a High-Grade Fertilizer, we are offering

SLINGLUFF'S NATIVE SUPER-PHOSPHATE.
Prepared entirely from Animal Bone, highly ammoniated. Also,

SLINGLUFF'S No. 1 AMMONIATED SUPER-PHOSPHATE.
This we can confidently recommend as one of the best fertilizers sold in the market at the price.

R. J. BAKER. ESTABLISHED 1837. R. J. HOLLINGSWORTH.

SULPHATE OF AMMONIA. R. J. BAKER & CO. PURE NITRATE SODA.

MANUFACTURERS AND DEALERS IN

Pure Ground Bone, Chemicals, Acids, &c.,

For Manufacturing Super-Phosphates.

AMMONIATED SUPER-PHOSPHATE FOR ALL CROPS.

PURE DISSOLVED RAW BONE.

PURE FINE GROUND RAW BONE.

STAG SUPER-PHOSPHATE OF LIME FOR TOBACCO.

FACTORY AT LOCUST POINT.

Office, 36 & 38 S. Charles St., Baltimore, Md.

JOSHUA THOMAS, STEAM.

Agricultural and Mill Machinery

Best, Cheapest, and most Economical Engines in the Market.

Buffalo Pitts Thresher and Cleaner,

The old standard, and still ahead of all competitors.

KIRBY AND WHEELER MOWERS AND REAPERS,

OSBORNE SELF-BINDING HARVESTER.

A Full Line of Harvesting Machines, adapted to the wants and taste of Farmers any and everywhere.

Buckeye Grain and Fertilizer Drill, Circular Saw Mills,

Star, Victor and Iron Horse Rakes, Portable Grist Mills,

Millstones, Smut Machines, Bolting Cloths, Buckeye Force Pump,

Mill Picks, Leather and Gum Belting, Cucumber-Wood Pumps,

The Watt and Ball Plows, &c., &c.

Price and Descriptive Circulars on application, and correspondence solicited from all wanting anything in my line.

OFFICE AND WAREHOUSE,

No. 53 Light St., Baltimore, Md.

ENTERED AT POSTOFFICE, BALTIMORE, AS SECOND-CLASS MATTER.